INDEX TO VOLUME 75

The Index for Volume 75 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Aberrant strain of Sclerotinia 454, 455
Acrasid cellular slime molds 1019–1028
  development of 1021–1023, 1027, 1028
Acremonium, beta-lactam antibiotics from 368
Acsai, J., and D. L. Largent. Fungi associated with Arbutus and Arctostaphylos 544–547
Aeciospore ultrastructure 400
Ahmadjian, V. See Withrow and Ahmadjian 337
Aldrich, H. C., and J. W. Daniel. Cell biology of Physarum and Didymium; review 576
Alexander, M. (Ed.) Advances in microbial ecology, Vol. 5; review 1109
Alfieri, S. A., Jr. See El-Gholl et al. 162
Alkaloids 390
  biotransformation of 390
Allen, M. F. Formation of vesicular-arbuscular mycorrhizae in Atriplex gardneri: seasonal response in a cold desert 773–776
Allen, J. V. See Gardner et al. 333
Alpha-amanitin 1034
Altitudinal distribution of cellular slime molds 897, 901
Amatoxins 1030
Amerson, H. V. See Gray et al. 117
Anagnostakis, S. L. Conversion to curative morphology in Endothia parasitica and its restriction by vegetative compatibility 777–780
Anamorphic states 5
Anamorphs 7, 58, 60, 145, 147, 148, 457, 478, 491, 492f, 494, 547, 549f, 550f, 666, 742, 752, 913–915, 951, 955–957, 961, 971, 977, 986, 991, 1036, 1039, 1040f, 1068, 1069
Anastomosis 27, 28f
Anderson, R. C. See Liberta et al. 169
Anderson, S. K. [Review of] A revision of the genus Rhodocybe (Agaricales) 188
Andrews, J. H. [Review of] Fungal wilt diseases of plants 189
Angel, Sr. K. See Wicklow and Angel 1070
Ansell, P. J., and T. W. K. Young. Light and electron microscopy of Mortierella indohii zygospores 64–69
Antagonistic fungi 565
Anthraquinone 202
  extraction of 203
Antibiotic industry 361
Antibiotics 920
  beta-lactams 364, 365; manufactured in U.S. 362; mutations 366, 367, 369; process control 371; production test method 909–912
Apomictic-heterothallic conversion 688–690
Apomixis 614, 617, 621, 683, 690–692, 1044, 1061
Apothecia
  calcium oxalate 423
  chemical and dark induction of 832–837
  production 452, 454
Appressoria 119, 119f, 120, 127
Aquatic
  Ascomycetes 518
  Deuteromycetes 498
  hyphomycete communities 498
Aquatic Hyphomycetes 527, 528
  leaf maps 500f, 501f
  on leaves 498, 500f, 501f, 502, 504
Aragaki, M. See Honda 22
Arenicolous fungi 670
Aroche Alfonso, R. Ma. See Pérez-Silva and Aroche Alfonso 1030
Ascomata development 767
Ascomycete
  developmental morphology 762
  key to orders and higher taxa of 8–11
  new orders of 11
  occurrence of 518
  orders of 3
  orders separated by trophic levels 4, 5
  ordinal characters of 4
  phylogeny 1
  red algae progenitors 6
Ascomycota, possible ancestors 5, 6
Ascospore longevity 139
Ascus, bitunicate and unitunicate 5
Asexual development in Cokeromyces 514, 516
Aspergillus mutant 202
ATCC 311
Axenic culture 412

Baker, G. E. See Dunn and Baker 839
Baldwin, R. S. The fungus fighters; review 184
Bandoni, R. J. and F. Oberwinkler. Some species of Tremella described by Alfred Möller 854–863
Bandoni, R. J. See Redhead et al. 571
Baranov, A. Basic Latin for plant taxonomists; review 577
Barnett, H. L. See Kuykendall et al. 656
Baroni, T. J. A revision of the genus Rhodocybe (Agaricales); review 188
Barr, M. E. Ascomycete connection 1–13
———. On Diaporthopsis metrosideri 930–931
Basidiolichen 337, 339
Basidiomycetes, wood decay caused by 552
Basidiospore ultrastructure 117, 904
Basidiospore wall ultrastructure 36
Basset, A. See Rossi et al. 887
Batra, L. R. Monilinia vaccinii-corymbosi: biology on blueberry and comparison with related species 131–152

INDEX TO VOLUME 75

The Index for Volume 75 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Aberrant strain of Sclerotinia 454, 455
Acrasid cellular slime molds 1019–1028
  development of 1021–1023, 1027, 1028
Acremonium, beta-lactam antibiotics from 368
Acsai, J., and D. L. Largent. Fungi associated with Arbutus and Arctostaphylos 544–547
Aeciospore ultrastructure 400
Ahmadjian, V. See Withrow and Ahmadjian 337
Aldrich, H. C., and J. W. Daniel. Cell biology of Physarum and Didymium; review 576
Alexander, M. (Ed.) Advances in microbial ecology, Vol. 5; review 1109
Alfieri, S. A., Jr. See El-Gholl et al. 162
Alkaloids 390
  biotransformation of 390
Allen, M. F. Formation of vesicular-arbuscular mycorrhizae in Atriplex gardneri: seasonal response in a cold desert 773–776
Allen, J. V. See Gardner et al. 333
Alpha-amanitin 1034
Altitudinal distribution of cellular slime molds 897, 901
Amatoxins 1030
Amerson, H. V. See Gray et al. 117
Anagnostakis, S. L. Conversion to curative morphology in Endothia parasitica and its restriction by vegetative compatibility 777–780
Anamorphic states 5
Anamorphs 7, 58, 60, 145, 147, 148, 457, 478, 491, 492f, 494, 547, 549f, 550f, 666, 742, 752, 913–915, 951, 955–957, 961, 971, 977, 986, 991, 1036, 1039, 1040f, 1068, 1069
Anastomosis 27, 28f
Anderson, R. C. See Liberta et al. 169
Anderson, S. K. [Review of] A revision of the genus Rhodocybe (Agaricales) 188
Andrews, J. H. [Review of] Fungal wilt diseases of plants 189
Angel, Sr. K. See Wicklow and Angel 1070
Ansell, P. J., and T. W. K. Young. Light and electron microscopy of Mortierella indohii zygospores 64–69
Antagonistic fungi 565
Anthraquinone 202
  extraction of 203
Antibiotic industry 361
Antibiotics 920
  beta-lactams 364, 365; manufactured in U.S. 362; mutations 366, 367, 369; process control 371; production test method 909–912
Apomictic-heterothallic conversion 688–690
Apomixis 614, 617, 621, 683, 690–692, 1044, 1061
Apothecia
  calcium oxalate 423
  chemical and dark induction of 832–837
  production 452, 454
Appressoria 119, 119f, 120, 127
Aquatic
  Ascomycetes 518
  Deuteromycetes 498
  hyphomycete communities 498
Aquatic Hyphomycetes 527, 528
  leaf maps 500f, 501f
  on leaves 498, 500f, 501f, 502, 504
Aragaki, M. See Honda 22
Arenicolous fungi 670
Aroche Alfonso, R. Ma. See Pérez-Silva and Aroche Alfonso 1030
Ascomata development 767
Ascomycete
  developmental morphology 762
  key to orders and higher taxa of 8–11
  new orders of 11
  occurrence of 518
  orders of 3
  orders separated by trophic levels 4, 5
  ordinal characters of 4
  phylogeny 1
  red algae progenitors 6
Ascomycota, possible ancestors 5, 6
Ascospore longevity 139
Ascus, bitunicate and unitunicate 5
Asexual development in Cokeromyces 514, 516
Aspergillus mutant 202
ATCC 311
Axenic culture 412

Baker, G. E. See Dunn and Baker 839
Baldwin, R. S. The fungus fighters; review 184
Bandoni, R. J. and F. Oberwinkler. Some species of Tremella described by Alfred Möller 854–863
Bandoni, R. J. See Redhead et al. 571
Baranov, A. Basic Latin for plant taxonomists; review 577
Barnett, H. L. See Kuykendall et al. 656
Baroni, T. J. A revision of the genus Rhodocybe (Agaricales); review 188
Barr, M. E. Ascomycete connection 1–13
———. On Diaporthopsis metrosideri 930–931
Basidiolichen 337, 339
Basidiomycetes, wood decay caused by 552
Basidiospore ultrastructure 117, 904
Basidiospore wall ultrastructure 36
Basset, A. See Rossi et al. 887
Batra, L. R. Monilinia vaccinii-corymbosi: biology on blueberry and comparison with related species 131–152

Bean rust 795
Bennett, J. W., F. G. Kronberg, L. A. Goodman, and M. A. Seltman. Anthraquinone-accumulating mutants of Aspergillus parasiticus 202–208
Bennett, W. E. See Olive et al. 1019
Berch, S. M., and J. A. Fortin. Germination of zygospores of Endogone pisiformis 328–332
———. See Di Cosmo et al. 949
Berry, C. S. See Haskins et al. 153
Beta-lactams 364, 365
Betterley, D. A., and O. R. Collins. Reproductive systems, morphology, and genetical diversity in Didymium iridis 1044–1063
Bicarbonate ion, effect on apothecial development 834, 835, 836
Biochemicals 376, 377
Biographies
  Cecil Edmund Yarwood 579
  David Gottlieb 199
  George Thomas Johnson 395
  Sister Mary Cecilia Bodman 932
Biological species in Collybia dryophila group 707, 710, 711
Biology of Monilinia on blueberry 131
Biomass fermentation 374
Biotransformations of alkaloids and flavonoids 390
Biotrophic mycoparasite 656
Black, L. M., A. R. Weinhold, and A. H. Gold Cecil Edmund Yarwood 579–587
Blanchette, R. A. Unusual decay pattern in brown-rotted wood 552–556
Boise, J. Trematosphaeria circinans and reinstatement of Byssothecium 666–669
Boletes 70
Book reviews 183–194, 567–578, 934–939, 1104–1110
Booth, T. [Review of] Arctic and alpine mycology: the first international symposium on arctic-alpine mycology 934
Breitenbach, J., and F. Kranzlin. Pilze der Schweiz. Band 1, Ascomyceten (Schlauchpilze); review 937
Brodo, I. M. Lichens of the Ottawa region; review 936
Brown cubicle rot 552, 553f
Brown rot 555, 556, 623, 1013
Brown-rot fungi 995, 1011
Bufotenine 1030, 1033f, 1034
Bunt fungus 974
Burdsall, H. H., Jr. [Review of] The Corticiaceae of North Europe. Vol. 6: Phlebia-Sarcodontia 194
Butt rot 723

Calcium oxalate formation 423
  microchemical analyses 424, 425
  optical analyses 424
  x-ray diffraction analysis 424, 425
  x-ray elemental analysis 425, 426
Calostoma morphology 36
  spore wall ultrastructure 40, 41f–43f, 44
  tissue system morphology 36, 44
Campbell, C. D. See Manocha and Campbell 588
Carbohydrate utilization 870, 874
Carbon sources and mycelium production 661
Cardinal temperatures, Phytophthora porri 750
Carey, S. T. See Nair et al. 920
Carpenter, S. E. Monograph of Crocicreas (Ascomycetes, Helotiales, Leotiaceae); review 573
Carroll, C. G. See Wicklow and Carroll 571
Carroll, G., and O. Petrini. Patterns of substrate utilization by some fungal endophytes 53–63
Carter, A. New Chaetomium from Turkey 531–534
Castro-Mendoza, E., O. K. Miller, Jr., and D. A. Stetler. Basidiospore wall ultrastructure and tissue system morphology in genus Calostoma 36–45
Cavender, J. C. Cellular slime molds of the Rocky Mountains 897–903
Cell coats 209
Cellular slime molds 897–902, 1019–1028
Cellulase production 876, 878, 879
Cellulose and hemicellulose degradation 552
Cellulose utilization 54, 56–58, 60, 61
Cell wall
  composition 591, 592
  proteins 592
Centrum 5
  types of 1074, 1087, 1088f, 1089
Cephalosporin 361–364
  biosynthetic route for 370
Chaetomium species compared 533
Chahal, D. S., M. Moo-Young, and D. Blach. Protein production and growth characteristics of Chaetomium cellulolyticum 597–603
Chase, T. E., and R. C. Ullrich. Sexuality, distribution and dispersal of Heterobasidion annosum 825–830
Cheese whey, composition of 377
Chemical constituents, effect of, on apothecial development 832–837
Chemically defined medium 906
China, new Pleochaeta from 547
Chitin and chitosan 589, 593
Chlamydospore
  effect of soil matric potential on germination of 30–32
  effect of soil pasteurization on germination of 31, 32, 34
  germination affected by contaminants 30, 33, 34
Chromatography 1030, 1031, 1032f, 1033f, 1034
Chytridiomycota, possible ancestors 6
Clark, J. Didymium iridis mating system 318–320
———. See Collins et al. 614
Cline, M. N., J. L. Crane, and S. D. Cline. Teleomorph of Cristulariella moricola 988–994
Cline, S. D. See M. N. Cline et al. 988
Clonal growth 830
Clones and testers 684–690

Cody, A. M. See Horner et al. 423
Cole, G. T. Graphiola phoenicis: taxonomic enigma 93–116
Coley-Smith, J. R., K. Verhoeff, and W. R. Jarvis (Eds.) The biology of Botrytis; review 191
Collins, O. R. See Betterley and Collins 1044
———, T. Gong, J. Clark, and H.-C. Tang. Apomixis and heterothallism in Stemonitis flavogenita 614–622
———, ———, and M. Grantham. Genetical analyses of an apomictic-heterothallic convertant of Didymium iridis 683–692
Colonization 126, 128, 129
Communities of aquatic Hyphomycetes 498
Community
  on plant detritus 887
  structure 498
Comparative pathogenicity 139–142, 140f
Competition effects 604, 610, 611, 613
Compost 342, 343
Conidial ontogeny 494
Conidium production and salinity 495
Coniferous foliage 53
Control of morphogenesis in Achlya 864
Cook, A. A. Diseases of tropical and subtropical field, fiber and oil plants; review 1110
Cooke, W. B. 1979 Oklahoma Foray 752–755
Coprophilous Ascomycetes 1070, 1072
Coprophilous fungi 927
Corn stover 597, 598
Corner, E. J. H. The agaric genera Lentinus, Panus, and Pleurotus, with particular reference to Malaysian species; review 575
Cortisone 385
Crane, J. L. See M. N. Cline et al. 988
Crang, R. E. [Review of] Cytology of Discomycetes 1105
Cross-streak test method 909–912
Crown and root rot 744
Cultural characteristics 724–726
Culture identification 311
Cultures of Mucor mucedo, distribution of 653f
Curative morphology 777, 778f, 779
Curry, K. J., and J. W. Kimbrough. Septal structures in apothecial tissues of Pezizaceae 781–794
Cyst formation 271
Cystosoral characteristics 414, 415
Cystosorus 412
Cytochemistry 209
  polysaccharide detection 202, 219
  zoospore cell coat 209, 219

Daniel, J. W. See Aldrich and Daniel 576
Dark, effect of on apothecial development 832–837
Dark-starved plasmodia 15, 16, 17
Decay types caused by Dacrymycetales 1014, 1015
Decomposition of wood 552
Dematiaceous hyphomycete 159, 160f, 161
Dennis, R. W. G. British Ascomyctes, supplement; review 577
Desole, S. Die Entwicklung der Dolipore von Coprinus radiatus (Bolt.) Fr.; review 1109
Development, ascogenous hyphae 1080f, 1081
  ascogonial coils 1080f, 1081
  ascus 1084, 1085f
  conidioma 1075, 1079
  perithecium 1078f, 1079, 1080f, 1081, 1082f, 1083, 1084, 1085f
Developmental morphology 762, 1074–1089
Diaporthe centrum development 1088f
Dibben, M. J. The chemosystematics of the lichen genus Pertusaria in North America north of Mexico; review 937
Dickman, L. A. See Liberta et al. 169
Di Cosmo, F., S. Berch, and B. Kendrick. Cylindrotrichum, Chaetopsis, and two new genera of Hyphomycetes 949–973
Discomycetes
  apothecial induction in 832–837
  on woody twigs 522
Distribution of cellular slime molds 901; of fungi in psammon habitat 839–852
DNA measurements 617–620
Domnas, A. J. See Warner, et al. 285
Dorward, D. W., and M. J. Powell. Cytochemical detection of polysaccharides and zoospore cell coat ultrastructure in two chytid species 209–220
Dowsett, J. A., and J. Reid. Multilaminate bodies: additional candidates for membrane reserve in trapping rings of Dactylaria brochopaga 1094–1099
Dry column chromatography 202–207
Dumont, K. P. See Haines and Dumont 535
Dunn, M. T. Paecilomyces nostocoides, a new hyphomycete from cysts of Heterodera zeae 179–182
Dunn, P. H., and G. E. Baker. Filamentous fungi of psammon habitat at Enewetak Atoll 839–852
Duran, R. Tilletia lycuroides, another homo-heterothallic bunt fungus 974–976
Dylewski, D. P., and C. E. Miller. Nuclear elimination during cyst formation in Woronina pythii 271–279
———, and ———. Systematic and host range studies of Woronina pythii and host, Pythium species, from axenic culture 412–422

Eboh, D. O. New Hapalophragmium 167–168
———. New Newinia from Nigeria 316–318
Ecology 887, 1070–1073
Ectomycorrhizal fungi
  growth patterns of in response to pH 238, 239f
  in vitro growth of 234–241
  pH and growth of 235, 236
  response of to pH 234
Ectostroma 1075, 1076
Eicker, A. See Sinclair et al. 1100
Elander, R. P. See Lowe and Elander 361
El-Gholl, N. E., C. L. Schoulties, and S. A. Alfieri, Jr. Homothallism in Calonectria theae 162–163
Elliott, M. See Henderson et al. 738
Emericellopsis, beta-lactam antibiotics from 368
Endophyte identification 169, 170

Endophytes 53
ecological roles of 62
list of on coniferous foliage 56, 60
substrate utilization by 56–61
Enumeration of marine fungi 670
Enzyme polymorphism 1055, 1058
Enzymes used in protoplast formation 369
Epispore structure 904, 905
Eriksson, J., K. Hjortstam, and L. Ryvarden. The Corticiaceae of North Europe. Vol. 6: Phlebia-Sarcodontia; review 194
Eumyceteae, divisions and classes of 3
Eveleigh, D. E. See Schimenti et al. 876
Ewan, J., and N. D. Ewan. Biographical dictionary of Rocky Mountain naturalists; 1682–1932; review 1110

Fabbri, A. A. See Rossi et al. 887
Fanelli, C. See Rossi et al. 887
Fano, E. A. See Rossi et al. 887
Farr, D. F. Mushroom industry: diversification with additional species 351–360
Farr, M. L. Genus Asterinema (Ascomycetes, Microthyriaceae) 1036–1043
Fatty acids of wall lipids 592
Fermentation 597
Fermented foods 374–376
Fertility/sterility matings 616, 617
Filamentous distalsome 795, 821f, 822
Filamentous fungi in psammon habitat 839–852
Financial report 756
Finocchio, A. F. See Kernan and Finocchio 916
Fisher, N. L., W. F. O. Marasas, and T. A. Toussoun. Taxonomic importance of microconidial chains in Fusarium section Liseola and effects of water potential on their formation 693–698
Flavonoids 390
biotransformation of 390
Flow cytometry 93, 96, 97, 109, 112
Flow microfluorometry; see flow cytometry
Foray, fungi collected 752, 754, 755
Ford, R. E. See Shaw and Ford 199
Fortin, J. A. See Berch and Fortin 328
Fosberg, F. R. See Roane and Fosberg 163
Frankland, J. C., J. N. Hedger, and M. J. Swift (Eds.) Decomposer Basidiomycetes: their biology and ecology; review 935
Frederick, L., I. L. Roth, and R. Simons. SEM studies on operculum structure in Trichia crateriformis 46–52
Frequency of occurrence of Ascomycetes on twigs 524, 525
Freshwater Ascomycetes 518
Fries, N. Spore germination, homing reaction, and intersterility groups in Laccaria laccata 221–227
Frost, C. C. 70, 71f
Fruitbodies
growth of 604
size of 606, 607
weights 606, 608–610, 612
Fruiting pattern 605, 606
Fumagillin 362

Fungal contamination 30, 33, 34
Fungal enzymes 392
Fungi
in beach sand 677
surface layers salt and fresh waters 675
water column 674
Furtado, J. S. Taxonomy of Amauroderma (Basidiomycetes, Polyporaceae); review 188
Fusidic acid 362

Gams, W., and M. R. McGinnis. Phialemonium, a new anamorph genus intermediate between Phialophora and Acremonium 977–987
Gardner, J. S., J. V. Allen, W. M. Hess, and R. K. Tripathi. Sheath structure of Tilletia indica teliospores 333–336
Garrabrandt, L. E., S. A. Johnston, and J. L. Peterson. Tan sclerotia of Sclerotinia sclerotiorum 451–456
Garrett, T. See Schimenti et al. 876
Genetical diversity 1044
Genetics 825–830, 1044–1060
in myxomycetes 614, 683
Gerlach, W., and H. Nirenberg. The genus Fusarium—a pictorial atlas; review 1110
Germination 30
sclerotia 452, 454
spores of Laccaria 221, 223
tests for 222
trichospores 251, 254, 255
Ginns, J. H. See Redhead et al. 571
Glawe, D. A. Anamorph of Eutypella parasitica 742–743
———. On the anamorph of Diatrypella frostii 913–915
Glomus species
chlamydospore germination in 30
chytridiaceous fungi in 34
Gold, A. H. See Black et al. 579
Gong, T. See Collins et al. 614, 683
Goodman, L. A. See Bennett et al. 202
Gottlieb, D. 199
Grantham, M. See Collins et al. 683
Graphiola phoenicis, life history of 113f
Gray, D. J., H. V. Amerson, and C. G. Van Dyke. Ultrastructure of infection and early colonization of Pinus taeda by Cronartium quercuum f. sp. fusiforme 117–130
Grogan, R. G., G. A. Zentmeyer, and E. B. Cowling (Eds.) Annual review of phytopathology, Vol. 20; review 939
Growth, effects of competition on 604, 613
Gruen, H. E. Effects of competition among fruitbodies on their growth 604–613
Grund, D. W., and D. E. Stuutz. Nova Scotian Inocybes 257–270
Guarro, J. New coprophilous species of Rhytidospora 927–930

Haines, J. H. [Review of] Monograph of Crocicreas (Ascomycetes, Helotiales, Leotiaceae) 573
———, and K. P. Dumont. Hyaloscyphaceae II:

Proliferodiscus, new genus of Arachnopezizoideae 535–543
Halling, R. E. Boletes described by Charles C. Frost 70–92
Hammill, T. M. [Review of] The biology of Botrytis 191
———, and D. L. Secor. Number of nuclei in sporangiospores 648–655
———, ———, and B. E. Thompson. ATCC 7941 is not Mucor mucedo 311–315
Haskins, E. F. [Review of] Cell biology of Physarum and Didymium 576
———, M. D. McGuinness, and C. S. Berry. Semimorula: new genus with myxomycete and protostelid affinities 153–158
Heart rot 1011
Held, A. A. See Lorelli and Held 909
Helical conidium 500f
Henderson, L. E., M. Elliott, and I. K. Ross. Sclerotium formation in Coprinus congregatus 738–741
———, and I. K. Ross. Ultrastructural studies of vegetative and fruiting mycelia 634
Hess, W. M. See Gardner et al. 333
Heterothallic isolates 1047, 1048, 1049
Heterothallism 614, 617, 621, 683, 692
  in myxomycetes 1044
Higher taxa of Ascomycetes 8–11
Highley, T. L. See Palmer et al. 995, 1005
Hindal, D. F. See Kuykendall et al. 656
Hintz, W. E., and P. A. Horgen. Method for controlling female morphogenesis in Achlya ambisexualis 864–869
Hoch, H. C., and R. C. Staples. Ultrastructural organization of non-differentiated uredospore germling of Uromyces phaseoli variety typica 795–824
Hodges, C. S., Jr. See Sutton and Hodges 280
Ho, H. H. Phytophthora porri from stored carrots 747–750
———, W. Y. Zhuang, Z. R. Liang, and Y. N. Yu. Phytophthora cinnamomi on black locust in China 881–886
Homing reactions 223, 224f
Homo-heterothallic bunt fungus 974
Homothallism 162
Honda, Y., and M. Aragaki. Light-dependence for fruiting body formation and its inheritance in Phoma caricae-papayae 22–29
Horgen, P. A. See Hintz and Horgen 864
Horner, H. T., L. H. Tiffany, and A. M. Cody. Calcium oxalate crystals associated with apothecia of Dasyscypha capitata 423–435
Horst, R. K. (Ed.) Compendium of rose diseases; review 1109
Hosoda, E. Sporulation of oat-cultured Physarum polycephalum. II. Sporulation competence of slow desiccation-induced sclerotia 14–21
Host fungi, list of 659
Host-parasite interaction 591
Host ranges
  Pythiaceae 413
  Saprolegniaceae 413
Host resistance 588
Hung, L.-L., and J. M. Trappe. Growth variation between and within species of ectomycorrhizal fungi in response to pH in vitro 234–241
Hunter, B. B. See Newhouse and Hunter 228
Hunter, S. H. [Review of] Endocytobiology. Endoxymbiosis and cell biology: a synthesis of recent research 574
Hybrids 687, 688
Hydrolysis
  beta-lactams 385, 386
  l-amino acids 384
  penicillin 384
Hymenomycetes 995, 1005
Hypercellulolytic mutants 876
Hyphal sheath 995–1003, 1005–1010
Hyphomycete 179
Hyphomycete genera diagrams 969
Hyphomycetes 174, 498–500, 502–507

Illudin 920–922
Illudoids 920
Incompatibility alleles, distribution of 827, 828f, 829, 830
Incompatibility tests 222
Infrared spectra of pigment 364
Instructions to authors 195
Interbreeding tests in Didymium 1048, 1049, 1052, 1053
Intercompatibility 707
Interfertility 827
Intersterility 827
  groups 221, 223–225
Intracellular infection structures, 117, 120, 125, 127
Intra-isolate variation 1058, 1059
Isolation media 228, 229, 231
Isozyme profiles 1056f, 1057f

Jahn, H. Die resupinaten Phellinus-Arten in Mitteleuropa; review 1108, 1109
Jeffries, P., and T. W. K. Young. Zygospore structure in Cokeromyces recurvatus with notes on the asexual apparatus 509–517
Jensen, J. D. Development of Diaporthe phaseolorum var. sojae in culture 1074–1091
Johnson, G. T. 395
Johnston, S. A. See Garrabrandt et al. 451
Jülich, W. Higher taxa of Basidiomycetes; review 567
———. (Ed.) International journal of mycology and lichenology; review 1108

Kameletdinova, F. I., and A. E. Vassilyev. Cytology of Discomycetes; review 1105
KCl, effects of on microconidial chains 695, 697
Kendrick, B. See Di Cosmo et al. 949
Kernan, M. J., and A. F. Finocchio. New discomycete associated with roots of Monotropa uniflora 916–919
Keys, Chaetopsis 962; Collybia 721; Femsjonia 468; Hyphomycetes 958, 960, 961; Kylindria 970; Monilinia species 150, 151; Nim-

bomollisia 298; Phialemonium 978; Polydesmieae 535; Proliferodiscus 538; Uromyces spp. 436
Kimbrough, J. W. [Review of] Introduction to fungi, 2nd ed. 183
———. See Curry and Kimbrough 781
Kirk, P. W., Jr. Direct enumeration of marine arenicolous fungi 670–682
Kloidt, M., and G. Lysek. Die epiphylle Pilzflora von Acer plantanoides L.; review 1108
Korf, R. P. [Review of] Basic Latin for plant taxonomists 577
———. [Review of] British Ascomycetes, supplement 577
———. [Review of] Guide to the prices of antiquarian and secondhand botanical books (1970–1979): cryptogamic literature 194
———. [Review of] Pilze der Schweiz, Band 1, Ascomyceten (Schlauchpilze) 937
———. [Review of] Taxonomic literature, 2nd ed. Vol. 3: Lh–O 193
Kreisel, H. (Ed.). Michael-Henning-Kreisel Handbuch für Pilzfreunde. Vierter Band. Blätterpilze-Dunkelblätten, 2nd ed.; review 193
Kronberg, F. G. See Bennett et al. 202
Kurtzman, C. P. Fungi—sources of food, fuel, and biochemicals 374–382
Kuykendall, W. R., D. F. Hindal, and H. L. Barnett. Parasitism and nutrition of contact mycoparasite Acladium tenellum 656–665
Kwon-Chung, K. J. New variety of Cladosporium 320–323

Lane, L. C. See Shearer and Lane 498
Largent, D. L. See Acsai and Largent 544
Larsen, M. J. On Piloderma bicolor in North America and its relationship to Piloderma byssinum 1092–1093
———. Tomentelloid fungi. V. New species of Pseudotomentella 556–562
———, and F. F. Lombard. Fibroporia angulopora (Aphyllophorales, Polyporaceae) associated with brown-rot 623–627
Laursen, G. A., and J. F. Ammirati. (Eds.) Arctic and alpine mycology: the first international symposium on arctic-alpine mycology; review 934
Leaf detritus
  density of species in 893
  number of species in 893
Leaf litter fungi 887
Leaf-spot 988
Leatham, G. F. Chemically defined medium for fruiting of Lentinus edodes 905–908
Liang, Z. R. See Ho et al. 881
Liberta, A. E., R. C. Anderson, and L. A. Dickman. Vesicular-arbuscular mycorrhiza fragments as means of endophyte identification at hydrophytic sites 169–171
Lichenized ascomycetes 7
Lichens 337
  orders of 4
Lichtwardt, R. W. See Peterson and Lichtwardt 242
———, and M. C. Williams. New Legeriomyces with variable trichospore size 757–761
———, and ———. Unusual Trichomycetes in an aquatic midge larva 728–734
Li, C. Y. Melanin-like pigment in zone lines of Phellinus weirii-colonized wood 562–566
Life cycle 157, 158
Life history 135, 136, 762
Light-dependence 22
  genetic basis for 23, 26, 28
Light, effect of, on apothecial development 832–837
Lignin and total sugar content 554
Lignin degradation 55, 57, 1011
  degraders 1014
Lincoff, G. H. The Audubon Society field guide to North American mushrooms; review 574
Lipids, isolation of 288
Lipolytic activity 55, 57, 62
Liquid fuel 378, 379, 380
Lists of taxa: cellular slime molds 901; associated with ericaceous plants 545, 546; foray 752, 754, 755; in beach sand 677; leaf litter 889; psammon habitat 847–849; sea foam 676; surface waters 675; water columns 674
Littlefield, L. J. [Review of] The rust fungi 934
Liu, B., and Y.-h. Liu. Scanning electron microscopy of basidiospores of Battarraea stevenii 904–905
Liu, Y.-h. See Liu and Liu 904
Loculoascomycetes on woody twigs 522; orders of 7, 8; origin of 7
Lombard, F. F. Cultural study of Piptoporus soloniensis 723–726
Lombard, F. F. See Larsen and Lombard 623
Lorelli, J. P., and A. A. Held. Screening of blastocladialean fungi for antibiotic production by a modified "cross-streak" test 909–913
Lowe, D. A., and R. P. Elander. Contribution of mycology to antibiotic industry 361–373
Lysosomal system 809

Mace, M. E., A. A. Bell, and C. H. Beckman. (Eds.) Fungal wilt diseases of plants; review 189
MacKinnon, J. A. See Seifert and MacKinnon 324
Manocha, M. S., and C. D. Campbell. Host-parasite relations in a mycoparasite. VIII. Age-related host resistance in Choanephora cucurbitarum 588–596
Marasas, W. F. O. See Fisher et al. 693
Marine ascomycete 487; beaches, fungi in 839–852; fungi 487, 670, 762, 839
Mating experiments 825; system 318; types 616, 619, 623
McGinnis, M. R. See Gams and McGinnis 977
McGuinness, M. D. See Haskins et al. 153
McLaughlin, D. J. Walter Henry Snell 941–948
McMeekin, D. [Review of] The downy mildews 186

Media, hyphochytridiomycete culture 287; oomycete culture 287
Medium for fruiting 905
Melanins 562
Membrane reserve 1094–1098
Memorial articles 199, 395, 579, 933, 941
Methods
  enumerating marine fungi 671–673
  homogenization 735
Meyer, R. J. New species of Chaetomidium 1064–1069
Microconidial chains 693
Microfungal community 887
Midge larva, fungi in 728
Miller, C. E. See Dylewski and Miller 271, 412
Miller, O. K., Jr. See Castro-Mendoza et al. 36
———. See Vilgalys and Miller 707
Mims, C. W., and R. W. Roberson. Ultrastructure of ornamentation development on aeciospores of Cronartium quercuum f. sp. fusiforme 400–411
Mithramycin 864, 866
Monilinia vaccinii-corymbosi ascospore longevity 139; development of 137; ecology and pathogenicity of 149, 150; host range of 134, 135; insect transmission of 139; life cycle patterns of 149; life history of 135, 136; phenology of 136, 137
Monilinia spp. Comparative pathogenicity of 139–142, 140f
  taxonomy of species on Ericaceae 144–150
Monoson, H. L., and S. E. Prose. Autoecious Uromyces that infect New-World Euphorbiaceae 436–450
Monosporus isolate pairings in Collybia 711
Montenecourt, B. S. See Schimenti et al. 876
Moore-Landecker, E. Chemical induction of apothecia in dark 832–838
Moo-Young, M. See Chahal et al. 597
Morgan-Jones, G. See Sinclair et al. 1100
———, and R. C. Sinclair. Lemkea, new dematiaceous hyphomycete genus 159–161
Morphogenesis in Achlya 864
  method for controlling 864
Morphology of Didymium iridis 1051
Mucor, identification of 311
Multiallelism 827
Multi-fusion nuclei 273, 274
Multilaminate bodies 1094–1098
Murmanis, L. See Palmer et al. 995, 1005
Murrill, W. A. 699
Mushroom farming 341; a profile 344; costs of 344, 346, 347; factors affecting resource calculations 342; mycological implications 347; pests 349; primordia formation 347; production 341; raw materials 343, 344; spawn colonization 347
Mushroom fruiting, medium for 905
Mushroom industry 351; cultivated species in U.S. 359; Flammulina velutipes 354; Lentinus edodes 355, 356, 357; Pleurotus species 354, 355; species associated with 351; value of crop 352; Volvariella volvacea 352
Mushroom pests 349
Mushrooms
  medicinal properties 358
  nutritional value 358
Mutagenesis 203
Mutants 176, 202–207, 876–880
  Aspergillus parasiticus 202–207
  selection techniques 368
Mycology and antibiotic industry 361
Mycoparasite 656
Mycoparasitism 588
Mycorrhizae 30, 169, 234–241, 328, 544, 773
  chlamydospore germination 30
  endospore germination 328
Mycorrhizal fungi, seasonal effects on 773
Myxomycete mating types 683, 684–690
Myxomycetes, genetics of 318; mating types in 319; sporulation of 14

Nair, M. S. R., S. T. Carey, and C. T. Rogerson. Illudoids from Omphalotus olivascens and Clitocybe subilludens 920–922
Nakagiri, A., and K. Tubaki. Lindra obtusa, new marine ascomycete and its Anguillospora anamorph 427–497
Nannfeldt, J. A. Two new genera of mollisioid Discomycetes 292–310
Neish, G. A. [Review of] Fusarium: diseases, biology, and taxonomy 190
Nelson, P. E., T. A. Toussoun, and R. J. Clark. (Eds.) Fusarium: diseases, biology, and taxonomy; review 190
Neotropical discomycetes 535
Neurospora type septa 791, 791f
Neutral sugars 592
Newhouse, J. R., and B. B. Hunter. Selective media for recovery of Cylindrocladium and Fusarium from roots and stems of tree seedlings 228–233
New taxa 11, 85, 153, 156, 159, 165, 167, 179, 242, 246, 257, 259, 261, 264, 265, 266, 269, 280, 297, 298, 300, 302, 304, 306, 307, 316, 320, 324, 470, 488, 531, 536, 538, 539, 547, 556, 558, 560, 624, 629, 715, 728, 757, 916, 919, 927, 930, 962, 968, 969, 970, 971, 978, 980, 981, 985, 989, 991, 1019, 1037, 1041, 1065, 1100
Nicholson, W. L., and A. D. Robinson. Temperature sensitive mutations affecting extracellular phenoloxidase activity 176–178
Nigerian rust fungus 316
Ninhydrin-positive substances 474, 475, 477–479, 482, 485
Nitrogen requirements 472
Nitrogen sources and mycelium production 664
Nolan, R. A. Physiological and nutritional studies with an isolate of Leptolegnia sp. 472–486
Nomenclature in Piloderma 1092, 1093
Nonheterothallic isolates 1044, 1047, 1048, 1049
Nuclear aggregation and profiles 272f, 273; disintegration 274, 275f, 278; DNA 689f, 690f; elimination 271, 274; numbers 648
Numbers of microorganisms in psammon habitat 844, 845

Nutrition 656
of Leptolegnia sp. 472–486
Nutritional requirements 472
Nystatin 876

Oberwinkler, F. See Bandoni and Oberwinkler 854
O'Day, P. H., and P. A. Horgen. (Eds.) Sexual interactions in eukaryotic microbes; review 192
Olive, L. S. New variety of Caulochytrium protostelioides 923–926
———. See Whitney and Olive 628
———, C. Stoianovitch, and W. E. Bennett. Acrasid cellular slime molds: new species of Pocheina 1019–1029
Oogoniol 864, 866
Operculum, ultrastructure of 46–52, 48f, 50f
Orders of Ascomycetes 8–11
Organic compound synthesis 383
methods and approaches 383, 384, 385
Organic nitrogen utilization 483

Pacioni, G. Simon & Schuster's guide to mushrooms; review 578
Pairings, in Phytophthora 881, 882, 883f, 885, 886
Palmer, J. G., L. Murmanis, and T. L. Highley. Visualization of hyphal sheath in wood-decay Hymenomycetes. I. Brown-rotters 995–1004 II. White-rotters 1005–1010
Parasexual recombination 368
Parasitism 656
Parkinson, D. [Review of] Methods and principles of mycorrhizal research 1107
Pathogenicity tests, in bunt fungus 975
Pectin utilization 54, 56–58, 60, 61
Penetration pegs 120, 127
Penicillin 361; biosynthetic route for 370; chemical structure of 363; hydrolysis of 384; volume of production 366
Penicillium chrysogenum yield from strains of 368
Penicillium, history of 366
Pérez-Silva, E., and R. Ma. Aroche Alfonso. Chromatographic and taxonomic evaluation of Amanita citrina 1030–1035
Perithecium production and salinity 495
Peterson, J. L. See Garrabrandt et al. 451
Peterson, R. H. Ramaria subgenus Echinoramaria; review 187
Peterson, S. W., and R. W. Lichtwardt. New taxa of Harpellales 242–250
Petrini, O. See Carroll and Petrini 53
Peziza type septa 791, 791f
Pfister, D. H. A nomenclatural revision of F. J. Seaver's North American cup-fungi (Operculates); review 1108
pH, effects on growth of mycorrhizal fungi 237–241
Phenology 136, 137
Phenoloxidase activity 176–178
Pheromones 864
Phoma caricae-papayae, effect of light on perithecia/pycnidia formation 24, 25; genotypes of 26, 27; heterokaryosis 24; hybridization of 23, 26; light-dependent and independent strains 22
Phycobionts 7
Physiology and nutrition 472, 474–483
Pigment absorbance spectra 563
Pileus/stipe weight ratios 610
Plasmodial enzyme extraction 1046
Plasmodium formation 1049, 1054
Ponce de Leon, P. See Singer and Ponce de Leon 933
Potassium permanganate, effect on apothecial development 834–837
Powell, M. J. See Dorward and Powell 209
Prairie fungi 1070
Presidential address 1
Primordial development 642
Processing wastes 378
Production of illudoids 920
Prose, S. E. See Monoson and Prose 436
Protein
increase 892
production 597, 601, 602
Protoplast fusion 381
Protostelids 153, 158, 923
Psammon habitat, fungi in 839, 852
Pugh, G. J. F. [Review of] The fungal community. Its organization and role in the ecosystem 571
Punthalingam, E. Studies on Sphaeropsidales in culture. III; review 939
Pycnidium production 915
Pyrenomycetes, on woody twigs 522

Quantitative homogenization 735

Ranges, tables of hosts 413
Redhead, S. A., J. H. Ginns, and R. J. Bandoni. [Review of] Higher taxa of Basidiomycetes 567
Reid, J. See Dowsett and Reid 1094
Reproductive systems in Myxomycetes 1044
Resistance to nystatin 876, 878, 879
Response to pH 234
Reynolds, D. R. (Ed.) Ascomycete systematics: the Luttrellian concept; review 185
Roane, M. K., and F. R. Rosberg. New pyrenomycete associated with Metrosideros collina ssp. polymorpha 163–166
Roberson, R. W. See Mims and Roberson 400
Robinson, A. D. See Nicholson and Robinson 176
Rogers, D. P. [Review of] Basidium and basidiocarp, evolution, cytology, function, and development 1104
Rogers, J. D. Xylaria species in continental United States 457–467
———. [Review of] Ascomycete systematics: the Luttrellian concept 185
Rogerson, C. T. [Review of] Michael-Henning-Kreisel Handbuch für Pilzfreunde. Vierter Band. Blätterpilze-Dunkelblätten, 2nd ed. 193
Rogerson, C. T. See Nair et al. 920

Ross, I. K. Rapid quantitative homogenization of semi-micro mycelium samples 735–738
———. [Review of] Sexual interactions in eukaryotic microbes 192
———. See Henderson et al. 738
———. See Henderson and Ross 634
Rossi, L., E. A. Fano, A. Basset, C. Fanelli, and A. A. Fabbri. Experimental study of a microfungal community on plant detritus in Mediterranean woodland stream 887–896
Roth, I. L. See Frederick et al. 46
Rudolph, E. D. [Review of] Lichens of the Ottawa region 936
———. [Review of] The chemosystematics of the lichen genus Pertusaria in North America north of Mexico 937
Rust ultrastructure 117

Salinity, germination and growth responses to 850, 851f, 852
Sampling method 499, 519
Sampling techniques 498
Schatz, S. Developmental morphology and life history of Phycomelaina laminariae 762–771
Schematic representation of hyphomycete genera 984f
Schenck, N. C. (Ed.) Methods and principles of mycorrhizal research; review 1107
———. See Sylvia and Schenck 30
Schenk, H. E. A. See Schweller and Schenk 574
Schimenti, J., T. Garrett, B. S. Montenecourt, and D. E. Eveleigh. Selection of hypercellulolytic mutants of Trichoderma reesei based on resistance to nystatin 876–880
Schmidt, E. L. Spore germination of and carbohydrate utilization by Morchella esculenta at different soil temperatures 870–875
Schoulties, C. L. See El-Gholl et al. 162
Schweller, W., and H. E. A. Schenk. (Eds.) Endocytobiology. Endoxymbiosis and cell biology: a synthesis of recent research; review 574
Sclerotia 14, 451; effect of illumination on 17, 18, 20; germination of 452, 454; regenerative capacity 15, 16; sporulation of 15, 17; sporulation of following storage 19
Sclerotium formation 738
Sclerotization 15
Screening of blastocladialean fungi for antibiotic production 909
Scott, K. J., and A. K. Chakravorty. (Eds.) The rust fungi; review 934
Sea foam, fungi in 670, 671, 675, 676
Seasonal distribution 887
Sebek, O. K. Fungal transformations as a useful method for synthesis of organic compounds 383–394
Secor, D. L. See Hammill et al. 311
———. See Hammill and Secor 648
Seifert, K. A. Decay of wood by Dacrymycetales 1011–1018
———, and J. A. MacKinnon. Fungicolous synnemetal hyphomycete 324–328
Selective media 228, 229, 231
Seltman, M. A. See Bennett et al. 202
Semeniuk, G. Association of Trematosphaeria circinans with crown and root rot of alfalfa 744–747
Septal pore apparatus 638, 639f, 640f
  species having structures in 782
  structures in 782
Septal structures 174, 175f, 781
  ascal septa 784f, 785, 786f; ascogenous hyphae 785, 788f; excipular cells 786, 790f; paraphyses 785, 786, 789f
Septal types 791f, 791
Sesquiterpenes 920
Setliff, E. C. [Review of] Decomposer Basidiomycetes; their biology and ecology 935
Sexual development in Cokeromyces 510, 514
Sexuality, in Heterobasidion annosum 825–830
Shaw, P. D., and R. E. Ford. David Gottlieb 199–201
Shearer, C. A., and L. D. Lane. Comparison of three techniques for study of aquatic hyphomycete communities 498–508
———, and S. B. Von Bodman. Patterns of occurrence of Ascomycetes associated with decomposing twigs 518–530
Shiitake 354, 355, 356, 357
  tree species inoculated with 356
Siccanin 362
Silver-methenamine reaction 214, 216, 218, 219
Simons, R. See Frederick et al. 46
Sinclair, R. C., A. Eicker, and G. Morgan-Jones. Conicomyces, a unique synnematous hyphomycete genus from South Africa 1100–1103
———. See Morgan-Jones and Sinclair 159
Singer, R., and P. Ponce de Leon. Sister Mary Cecilia Bodman 932
———. [Review of] Simon & Schuster's guide to mushrooms 578
———. [Review of] The agaric genera Lentinus, Panus, and Pleurotus, with particular reference to Malaysian species 575
———. [Review of] The Audubon Society field guide to North American mushrooms 574
Sister Mary Cecilia Bodman 933
Smiley, R. W. (Ed.) Compendium of turf grass diseases; review 1109
Snell, W. H. 941
Soft-rot fungi 1010
Soil matric potential 30
Soil populations of cellular slime molds 897
Soil temperature effects 870, 873, 874
Solid state fermentation 597
Sovocool, G. S. See Warner et al. 285
Soy sauce 374
  fermentation procedure 375
Spencer, D. M. (Ed.) The downy mildews; review 186
Spermogonium development 766
Sporangiospores, nuclei in 648
Spore germination 221, 870–873
Spore longevity 171–173
Sporulation 14

Sporulation capacity 1055
Stafleu, F. A., and R. S. Cowan. Taxonomic literature, 2nd ed., Vol. 3: Lh-O; review 193
Staples, R. C. See Hoch and Staples 795
Steroid hormone synthesis 386, 387, 388, 389, 390
Steroids 386
Sterols 285–290
  analysis of 390; in Hyphoclytridiomycetes 285, 286; in Oomycetes 285–291; structure of 289f; tables of 286, 287, 288
Stetler, D. A. See Castro-Mendoza et al. 36
Stoianovitch, C. See Olive et al. 1019
Stream ecosystem 499
Stuntz, D. E. [Review of] Ramaria subgenus Echinoramaria 187
———. See Grund and Stuntz 257
Subgeneric groupings in Pseudotomentella 560, 562
Substrate changes and composition, basal brown rot 1015
  brown pocket rot 1014; uniform brown rot 1013; white rot 1016
Substrate utilization 53
Substrates for species of Dacrymycetales 1012
Sulfite liquor 376
Suprageneric taxa, list of in psammon habitat 846
Sutton, B. C., and C. C. Hodges, Jr. Hawaiian forest fungi. III. A new species, Gloeocoryneum hawaiiense on Acacia koa 280–284
Sylvia, D. M., and N. C. Schenck. Chlamydospore germination in three Glomus species as affected by soil matric potential and fungal contamination 30–35
Symposium, papers from 341, 351, 361, 374, 383
Synaptonemal complex 271
Synnema 324
Synnematous hyphomycete 1100–1103
Synthesis of steroid hormones 387

Talburt, D. E. George Thomas Johnson 395–399
Tang, H.-C. See Collins et al. 614
Tan sclerotia 451
Teleomorph 950, 956, 961, 988
Teliospores 333
  sheath in 333, 334f, 335f, 336
  ultrastructure 333, 334f, 335f, 336
Temperature sensitive mutations 176–178
Thermophilic Actinomycetes 347
Thiamin and mycelium production 661
Thompson, B. E. See Hammill et al. 311
Tiffany, L. H. See Horner et al. 423
Toussoun, T. A. See Fisher et al. 693
Toxins 1030, 1034, 1035
Transformations 381, 383, 386, 390, 391
Trappe, J. M. See Hung and Trappe 234
Trapping rings 1094–1098
Tree species and shiitake mushrooms 356
Trichomycetes, axenic culture of 243
Trichospores in trichomycete 242, 251
Tripathi, R. K. See Gardner et al. 333
Tubaki, K. See Nakagiri and Tubaki 487

Ullrich, R. C. See Chase and Ullrich 825
Ultrastructure
  acrasid cellular slime molds 1020, 1023, 1027; aeciospore ornamentation development 400; apothecia 423; ascocarp 1074; ascus 1085f; basidiospores 904, 904f, 905; basidiospore wall 36–40, 41f, 42f, 43, 43f; bean rust uredospore germlings 785–823; cell wall 593, 594f; Cokeromyces asexual apparatus 509, 513f, 514, 515f; conidiogenesis 1074, 1077f; crystals on hairs of apothecia 423, 426, 427f–429f, 431; flagellate cells 1020, 1026f; fruiting and vegetative mycelium 634, 635, 636f, 637f, 639f–641f, 643f; Graphiola phoenicis 98f, 99, 100f, 101, 102f, 103, 104, 105f–107f, 108, 110f; hyphal sheath 996f–1003f, 1006f–1009f; infection 117, 118, 119f, 120, 121f–124f; in two chytrids 209; lichens 337; marine ascomycete 487; multilaminate bodies 1094–1098; mycelium 1075; myxomycete 632f; nuclear elimination 271–279, 272f, 275f–277f; operculum 46, 47, 48f, 49, 50f; perithecium 1074; Semimorula liquescens 153, 155f; septum 174, 175f, 781–792; sorocarps 1020, 1024f; teliospore sheaths 333; trapping-ring cells 1094, 1095f, 1096f, 1097; uredospore germ tubes 795–823; wood decay 552, 553f; zoospore cell coat 209–219; zygospore 64, 65, 66f, 67, 509, 510, 511f, 512f
Unweighted similarity coefficients 954
Uredospore germlings
  apical vesicles 800, 805; endoplasmic reticulum 807, 809; filamentous distalsome 811, 812; filasomes 800, 805; Golgi bodies 807, 809; lysosomal system 809; microfilaments 805, 807, 813, 814, 817; microtubules 805, 807; microvesicles 800, 805; mitochondria 811; multivesicular bodies 819, 820; nuclei 809, 811; ultrastructure of 795–823

Van Dyke, C. G. See Gray et al. 117
Variotin 362
Vegetative compatibility 777
  cytoplasmic transfer 778f, 779
Vegetative development 763
Vesicular-arbuscular mycorrhizae 30, 169, 773
Viability in seawater 850
Vilgalys, R., and O. K. Miller, Jr. Biological species in Collybia dryophila group 707–721
Vitamin requirements 657
Vlach, D. See Chahal et al. 597
Vogelenzang, L. (Ed.) Guide to the prices of antiquarian and secondhand botanical books (1970–1979): cryptogamic literature; review 194
Von Bodman, S. B. See Shearer and Von Bodman 518

Wall ultrastructure 400
Warner, S. A., G. W. Sovocool, and A. J. Domnas. Sterols of selected species of Oomycetes and Hyphochytridiomycetes 285–291
Watermolds, sterols in 285
Water potential effects 693

Webster, J. Introduction to fungi, 2nd ed.; review 183
Weddellite 423, 425
Weighted similarity coefficients 955
Weinhold, A. R. See Black et al. 579
Weitzman, I. [Review of] The fungus fighters 184
Welden, A. L. [Review of] Taxonomy of Amauroderma (Basidiomycetes, Polyporaceae) 188
Wells, K., and E. K. Wells. Basidium and basidiocarp, evolution, cytology, function, and development; review 1104
White pocket rot 552, 553f
White-rot fungi 1005, 1011
Whitney, K. D., and L. S. Olive. New Didymium 628–633
Wicklow, D. T., and Sr. K. Angel. Some reproductive characteristics of coprophilous Ascomycetes in three prairie ecosystems 1070–1073
———, and G. C. Carroll. (Eds.) The fungal community. Its organization and role in the ecosystem; review 571
Williams, M. C. Spore longevity of Smittium culisetae 171–174
———. Zygospores in Smittium culisetae and observations on trichospore germination 251–256
———. See Lichtwardt and Williams 728, 757
Wimble, D. B., and T. W. K. Young. Septum structure in Dactylella lysipaga 174–175
Withrow, K., and V. Ahmadjian. Ultrastructure of lichens: Chiodecton sanguineum 337–339
Wolfe, C. B., Jr. Type studies in Tylopilus. II. Species described by William A. Murrill 699–705
Wood colonization 562
Wood decay 552, 553f, 554, 555, 1011–1017
Wood-decay Hymenomycetes 995, 1005
Wood decomposition 518
Woody twig weight loss 521
Woronin bodies 2, 174, 338f, 339, 781, 782, 785, 786
Wuest, P. J. Resources needed to farm the 'champignon' 341–350

Yarwood, C. E. 579
Yeast 2, 109, 110f, 112, 113
Young, T. W. K. See Ansell and Young 64
———. See Jeffries and Young 509
———. See Wimble and Young 174
Yu, Y. N. See Ho et al. 881

Zang, M. Notes on genus Femsjonia in China 468–471
Zhang, X.-l. New Pleochaeta 547–551
Zhuang, W. Y. See Ho et al. 881
Zone lines 562
Zygospores 64, 173
germination of 329f, 330f, 331; in Endogone 328; in trichomycete 242, 251; ultrastructure of 64–69, 66f, 68f

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia corymbifera 847
Acaulospora spp. 332
Achlya 412, 413, 868
ambisexualis 864–869, 865f, 867f, 868f; americana 413; apiculata 413; cambrica 413; caroliniana 413; colorata 413; conspicua 413; crenulata 413; debaryana 413; diffusa 413; flagellata 413; hypogyna 285–288, 290; inflata 413; lobata 413; oligacantha 413; orion 413; ornata 413; oviparvula 413; polyandra 413; primoachlya 413; prolifera 413; proliferoides 413; pseudoachlyoides 413; racemosa 413; radiosa 413; recurva 413; spinosa 413; subterranea 413
Acladium musiformis 662; tenellum 656–664
Acrasis 1019
granulata 1028; rosea 1028
Acremonium 324, 327, 369, 744, 977, 978, 984f, 986
alabamense 986; bacillisporum 845, 847, 850; chrysogenum 361, 362, 364, 368, 372; coenophialum 986; domschii 754; pteridii 847; strictum 847, 888, 889, 891, 892, 986; terricola 847; typhinum 986
Acrophialophora fusispora 848
Actinomycetes 844, 845
Actinothyrium graminis 293
Agaricales 341, 351, 604, 921, 1030
Agaricus 358
bisporus 341, 351, 354, 604, 905; bitorquis 354; brunnescens 341, 342, 349, 351, 352, 357–359, 604, 905, 906; campestris 604; citrinus 1032
Agrocybe aegerita 908
Albo-lanosa 986
Alatospora acuminata 500f, 502, 505, 506, 528; constricta 501f, 504, 506
Aleuria 792
aurantia 782, 791
Aleurina 792
Allescheriella crocea 754
Allomyces 912
anomalus 909; arbuscula 909, 912; catenoides 909; × javanicus 909, 911f, 912; macrogynus 909, 912; moniliformis 909, 912; neo-moniliformis 909; reticulatus 909, 910
Allophylaria 919
Alternaria 670, 674–678, 744

alternata 659, 660f; sp. 500f, 502, 503, 528; tenuis 658, 889
Amanitaceae 1030
Amanita citrina 1030–1035, 1031f, 1032f, 1034, 1035; gemmata 544, 545; muscaria 235, 237, 238, 240; pantherina 235; phalloides 1030–1035, 1032f, 1034, 1035; porphyria 235
Amazonia ohiana 164
Amphisphaeria zerbina 669
Anguillospora 487, 488, 491, 494
longissima 491, 500f, 501f, 502, 506, 888–892, 894; **marina 488**, 492f, 494; pulchella 504; sp. 528; virginiana 504
Aniptodera chesapeakensis 522, 523; sp. 518, 521–527
Anisogramma anomala 1086
Aphanocladium 744
Aphanomyces 412, 413
astaci 285–287, 290; laevis 413
Aphanopeltis 1042
jahnii 1041
Aphyllophorales 623, 723, 921, 1012
Apiognomonia erythrostoma 1086
Apiospora montagnei 752
Aplanes 412, 413
androgynus 413
Aplanopsis terrestis 286, 287, 290
Apodachlyella completa 285–288, 290
Apostemidium 528
Arachnopezizoideae 535, 536
Arcyria cinerea 51; pomiformis 752
Armillaria mellea 226, 353f, 830; robusta 545
Arnium apiculatum 522; arizonense 1072
Arthrinium 108
Arthrobotrys dactyloides 1094; musiformis 657
Ascochyta gossypii 22; sp. 889
Ascocorticium anomalum 7
Ascocoryne 986
cylichnium 986; sarcoides 982, 986
Ascodesmis sphaerospora 782, 792
Ascomycetes 4, 518, 521, 522, 523, 752, 754, 839, 845, 927, 930, 1036, 1064, 1070, 1073
Ascomycota 2
Ascomycotina 491, 494, 846, 847
Ascosphaera 7
Ascosphaerales 3
Ascosphaeromycetes 3
Ascotricha guamensis 845, 847
Ashbya 369
Aspergilli 849, 850
Aspergillus 369, 385, 391, 786, 779, 876
aculeatus 847; awamori 888, 889, 892, 894, 895; carneus 659, 847; conjunctus 847; flavipes 847; flavus 202, 847, 850, 889; fumigatus 362, 388, 390; glaucus 385; nidulans 566, 889; niger 376, 377, 385, 754, 888, 889, 892, 894, 895; ochraceus 847; oryzae 375, 384, 847; parasiticus 202, 203, 206, 207; recurvatus 847; rugulosus 659; sclerotiorum 390; sojae 375; spp. 782; terreus 847, 850; terricola? 847; tubingensis 847, 850, 851f, 852; ustus 847, 850; variecolor 847, 850; versicolor 847, 850, 851f, 852, 889; wentii group 847
Asterina decipiens 1042; sp. 1039
Asterinella 1042
Asterinema 1036–1042
caseariae 1036, 1037, 1038f; caseariae var. **amazonense** 1036, **1037**, 1038f, 1042; caseariae var. caseariae 1038f; glabratum 1036, 1037, 1038f, 1039; glabratum var. roupalae 1036, 1037, 1039; jahnii 1036, 1041; philippinense 1036, 1038f, 1042
Asteromyces cruciatus 670, 675, 679
Asterostomella 1038f
Astraeus hygrometricus 545
Athelia 1092
Atractobolus inspersus 538
Aureobasidium pullulans 602, 848, 1020, 1021, 1027
Auricularia auricula 354, 754, 755; fuscosuccinea 822; polytricha 354; sp. 357, 358

Baccharis pilularis var. consanguinea 581
Bacillospora aquatica 501f, 502, 506, 528
Bahusandhika 161
Basidiomycetes 754, 849, 920
Basidiomycete sp. indet. 850
Basidiomycota 2
Basidiomycotina 846, 847
Battarraea stevenii 904, 904f, 905
Belonidium 292
arundinariae 297, 307; melatephroides 304
Beloniella 292
cymbispora 300
Belonium 292
aberrans 298; andropogonis 298; eustegiaeforme 297, 307; hysterix 293
Belonopeziza 292
advena 300
Belonopsis 292
Bipolaris maydis race T 999
Bispora sp. 658, 659, 662, 663f
Bisporella 919
Blastocladiales 909
Blastocladiella emersonii 832, 833, 836, 909
Blastocladiopsis elegans 909; parva 909
Blastophorum 958
Boletaceae 699, 933
Boletellus russellii 84
Boletus aereus 544, 545; alachuanus 699; amygdalinus 545, 546; auriporus 76, 77; badius 77, 235; bicolor 84; bicoloroides 79; brevipes 90; carminipes 79; chromapes 70; chrysenteron 84; clintonianus 86, 91; decorus 71, 72f; edulis 73, 77, 222, 235; elbensis 85; eximius 83; fagicola 89; ferrugineus 70, 73, 74f, 75; firmus 75, 76; flaviporus 544, 545; fraternus 84; frostii 70, 76; griseus 76, 83; hypohaematicus 87; innixus 70, 76; isabellescens 701; limatulus 70, 77; luridus 235; magnisporus 70, 77, 78f, 79; miniato-olivaceus 70, 79, 80f, 81, 82f; miniato-pallescens 79; pallidus 83; peckii 83; pictus 87; praeanisatus 703; pseudosensibilis 79; regius 87, 545; robustus 83, 90; roxanae 70, 76, 77, 83; rubeus 78f, 84; russellii 70, 84; salmonicolor 85,

88f; sensibilis 79; serotinus 70, 85, 88f; sordidus 70, 86; speciosus 70, 86; spraguei 87, 87f, 88, 89; subglabripes 89; subtomentosus 235, 545; subvelutipes 87; tenuiculus 78f, 89; unicolor 83, 88f, 90, 91; vermiculosus 87; viridarius 91; viscosus 70, 90
Botryodiplodia theobromae 850
Botryosphaeria dothidea 752; obtusa 752
Botryosporium sp. 659
Botryotinia fuckeliana 993; moricola 988, 991
Botrytis cinerea 569, 889, 890; moricola 991
Brevilegnia 412, 413
bispora 413; globosa 413; linearis 413
Bryochiton monascus 8
Buergenerula spartinae 675–678, 770
Byssochlamys 7
Byssothecium 666, 667; circinans 667, 667f, 668f, 669

Calocera cornea 1011, 1012, 1014–1017; lutea 1011, 1012, 1015, 1016; viscosa 1011, 1012, 1015, 1016
Calocybe sp. 545
Calonectria decora 388, 390; ilicicola 162; theae 162
Calosphaeria sp. 522, 524, 525, 527
Calosphaeriales 11
Calostoma 36, 37, 44
cinnabarina 36, 37, 39, 40, 41f–43f, 44; lutescens 36, 37, 39, 40, 43, 44; microsporum 39; ravenelii 36–38, 40, 42f, 43, 44; ravenelii var. **microsporum 39**
Calostomataceae 36
Calothyriopsis 1036, 1039
roupalae 1036, 1038f, 1039
Calothyrium 1042
jahnii 1040f, 1041
Candida lipolytica 377; utilis 378, 602
Cantharellus cibarius 225
Capniomyces 242
stellatus 242, 243, 244f, 245f, 246
Carbosphaerella 496; leptosphaerioides 674–679; spp. 670
Catenaria anguillulae 909
Catenularia 961
Caulochytriaceae 923
Caulochytrium gloeosporii 923; protostelioides 923; protostelioides var. **vulgaris 923**, 924f, 925f, 926
Cenangium raineri 295
Cenococcum geophilus 235, 237–246, 545
Cephalosporium 977, 978
acremonium 364, 386; salmosynnematum 364
Cephalothecaceae 977
Ceratiomyxa fruticulosa 752
Ceratocystis fagacearum 659; ulmi 659
Cercophora 521
Cercospora 849; elephantopi 754; gymnocladi 754; sp. 858
Cerinomyces canadensis 1012, 1015; ceraceus 1011–1014, 1016; crustulinus 1012, 1015
Ceriomyces alachuanus 699, 700f, 701
Ceriosporopsis halima 676, 678
Chaetoblastophorum 958
Chaetomidium 1068, 1069
arxii 782, 1068; cephalothecoides 1068; **heterotrichum** 1064, **1065**, 1066f, 1067f, 1068; sepedonium 1068
Chaetomioides 986
Chaetomium 30, 32, 347, 531, 533, 744, 845, 1068
brasiliense 174, 782; cellulolyticum 597, 598, 600f, 601; citrinum 533; giga-nigrosporum 533; globosum 847, 889, 999; heterosporum 533; irregulare 533; nozdrenkoae 533; sp. 678; variosporum 533; vitellinum 531, 532f, 533, 534
Chaetophoma 666
Chaetopsella 961
Chaetopsis 949, 951, 954, 954–958, 961, 969f, 971
cylindrospora 950, **961**, grisea 950, 951–955, 962; **hennebertii** 950, 961, **962**; **oligosperma** 950, 961, **962**, 965f; **probosciophora** 950, 952–955, 961, **962**, 963f, 964f; **romantica** 950, **968**; roseola 950, 962; stachyobola 962; wauchii 950, 962
Chaetosphaeria 961
abietis 950, 951; callimorpha 957; dingleyae 955; fusiformis 950, 951, 956; innumera 956; innumera var. botryoideum 956; innumera var. minutum 956; novae-zealandae 164; talbotii 957
Chaetospina 949, 956, 960, 969f
romantica 950, 956, 962, 968
Chalara 949, 951, 956, 958, 969f
cylindrosperma 950, 951; longipes 950, 951
Chiodecton sanguineum 337, 338f, 339
Chloridium 949, 956, 958, 961, 969f
botryoideum 956; cylindrosporum 950–955, 962; griseum 962
Chloroscypha alutipes 60; seaveri 59, 60
Choanephora cucurbitarum 588, 589, 590f, 591–593, 594f, 595
Chondrostereum purpureum 754
Chytridiales 923
Chytridiomycota 1
Chytridium 209, 218
confervae 209, 216
Chytriomyces 218, 219
aureus 209, 210, 213f, 215f, 216, 217f; hyalinus 209, 210, 210f, 211, 212, 213f, 215f, 216, 217f
Cienkowskia reticulata 752
Ciliciopodium 327
aurifilum 324, 327
Cirrenalia macrocephala 678
Cladosporium 744
bantianum 322, 323; cladosporoides 848, 889, 926; herbarum 848, 888, 889, 892; sp. 528, 659; sphaerospermum 848; trichoides 320, 322, 323; trichoides var. **chlamydosporum 320**, 321f, 322, 323
Clavariopsis aquatica 500f, 501f, 502, 503, 506, 888–892, 894; bulbosa 496, 675, 676
Clavatospora tentacula 528
Claviceps 4
sp. 388, 390
Clitocybe 922
illudens 920, 921, 922; subilludens 920–922

Clitopilus prunulus 235
Coccomyces hiemalis 1087
Cochliobolus miyabeanus 22
Codinaea 949, 955, 957, 958, 961, 969f
botulispora 957; setosa 957; sp. 950
Codinaeopsis 956, 958
Coeloanguillospora appalachiensis 504
Coelomycete 503
Cokeromyces recurvatus 509, 510, 511f–513f, 514, 515f
Coleosporium tussilaginis 410
Colletogloeum 284
Colletotrichum 744
graminicola 754; maculiforme 754; sp. 659
Collybia acervata 707; agricola 712, 714; aquosa 707, 719, 721; **brunneola** 713f, **715**, 716f, 719; butyracea 707; cirrhata 708; cookei 708; dryophila 545, 707–721, 716f, 717, 719, 721; dryophila var. funicularis 721; dryophila var. luteifolia 721; earleae 712, 713f, 716f, 719; lentinoides 707; Section Levipedes 707; subsulphurea 709, 716f, 717, 719, 721; tuberosa 708; virginiana 719
Coltrichia perennis 545
Comatricha elegans 752; nodulifera 618
Comoclathrus permunda 754
Conicomyces 1100
transvaalensis 1100, 1101f, 1102f, 1103
Conidiobolus sp. 845, 847
Coniochaeta 977
discospora 1072; leucoplaca 1072; velutina 522, 523, 528
Coniophora arida 955, 1000f; puteana 955, 997, 998f, 999, 1001f
Conioscypha varia 528, 529
Coniothyrium sp. 889
Constantinella cristata 874
Coprinus 738
cinereus 634, 644, 645, 738, 740, 741; congregatus 634–645, 636f, 637f, 639f–641f, 643f, 738, 739f, 740; lagopus 604; radiatus 604; stercorarius 604
Coprotus niveus 1072
Cordella 108
Coriolus consors 921; hirsutus 754; versicolor 999, 1005, 1007f, 1008f, 1009, 1012, 1015
Corollospora 487, 496
intermedia 674–676, 678; lacera 674–676, 678; luteola 496; maritima 673–678, 680; pulchella 496; spp. 670, 675, 680; trifurcata 673–676, 678, 680; tubulata 675, 676, 678
Coronospora 957
Corticium bicolor 1092
praticola 390; sasakii 390
Cortinarius aureifolius var. hesperius 545; fibrillosipes var. fibrillosipes 545; sp. 545; zakii 545
Corynascella 533
humicola 533; inaequalis 533; inquinata 533
Corynascus 1069
Coryne 984f, 986
Corynespora 744
cassiicola 392
Coryneum acaciae 284
Craterium 46, 49
leucocephalum 47; minutum 47, 48f, 52
Crinigera maritima 675, 676, 678
Cristulariella moricola 988, 991, 993; pyramidalis 988, 991
Cronartium 400
comandrae 406; quercuum f. sp. fusiforme 117–129, 119f, 121f–124f, 126f, 400, 401, 403f–405f, 406, 406f–409f, 410, 411; ribicola 118
Crucibulum laeve 754
Cryptocline sp. 60
Cryptococcus laurentii 157
Cryptosporiopsis abietina 61
Cryptovalsa nitschkei 752
Cunninghamella 391
baineri 391; bertholletiae 388, 390; blakesleeana 388, 390, 392; echinulata 388, 390, 391, 423
Curvularia 849
clavata 848; geniculata 754; lunata 384, 848, 850; oryzae 848, 850; pallescens 754; senegalensis 848, 850; sp. 659, 674–677, 679; tuberculata 848
Cyathus stercoreus 380
Cylindrocarpon 744
didyma 754; lucidum 525, 528; sp. 849
Cylindrocladium 228–232
floridanum 231, 232; scoparium 228, 230f, 231, 232; theae 162
Cylindrosporium 284
Cylindrotrichum 949, 951, 954, 956–958, 961
album 949–951; clavatum 950–955, 970; curvatum 950–955, 957; cylindrospermum 950, 951; ellisii 950–955, 970; gorii 950, 951, 957; helicsiforme 950–956; hennebertii 950–955, 962; inflatum 949–951; longipes 950, 951; oblongisporum 950–955, 958, 971; oligospermum 949–956, 962; polyspermum 949–951, 969; proliferum 950–955, 958; repens 949–951; repens subsp. ferruginascens 949–951; triseptatum 950–955, 970, 971; zignoëllae 950–955
Cymadothia trifolii 782
Cytophaga sp. 369
Cytosporella sp. 61
Cytosporina 915

Dacrymyces capitatus 1011–1017; dictyosporus 1011–1014, 1016, 1017; minor 1011, 1015, 1016; minutus 1012, 1015; novae-zelandiae 1011, 1012, 1014, 1016; palmatus 1011–1017; punctiformis 1012, 1015; spathularia 1011; stillatus 1011, 1012, 1014–1017
Dacrymycetales 1011, 1012, 1015, 1016
Dacryopinax spathularia 1012–1014, 1016, 1017
Dactylaria brochopaga 1094–1098; purpurella 528
Dactylella lysipaga 174, 175f
Daedalea juniperina 754
Dasyscypha arundinariae 307; capitata 423–426, 427f–430f, 431, 432f, 433, 434; fasiculata 539, 542
"Dasyscyphae stipitatae" 308
Dasyscyphus 535

cerinus 535; congregatus 538, 540f; earoleuca 535; inspersus 535, 538, 539; puiggari 538
Debaryella sp. 522, 525
Delitschia 1073
patagonica 1072; winteri 1072
Dematiaceae 846, 848
Dendrostilbella 324
aurifila 324, 325, 325f, 326f, 327; byssina 327; prasinula 324
Dendrothele nivosa 754
Dendryphiella arenaria 674–677, 679; salina 495, 675, 676
Dermatella glabrata 304
Deuteromycetes 658, 659, 754, 755, 791, 849
Deuteromycotina 846, 847
Diademospora 956, 957
Diaporthaceae 977
Diaporthales 930, 1074, 1088
Diaporthe 4, 1074, 1086
cf. neres 59, 60; phaseolorum 752; phaseolorum var. sojae 1074, 1089
Diaporthopsis 164, 165, 930
angelicae 930, 931f; apiculosa 164; kriegeriana 165; **metrosideri 165**, 165f, 166, 930; nigrella 930
Diatrypaceae 913–915
Diatrypella 742, 915
favacea 752; frostii 913, 914, 914f, 915
Dibeloniella 292, 294
eriophori 295, 300; raineri 295; trichophoricola 294, 295, 306
Dicaryomycota 1
Dicaryomycotera 1, 2
Dictyoarthrinium 108
Dictyopolyschema 161
Dictyostelium aureo-stipes 901; aureum var. luteolum 897; fasciculatum 901; giganteum 901; lacteum 901; mexicanum 897; microsporum 897; minutum 901; mucoroides 901, 902; polycarpum 897; rosarium 897; septentrionalis 897, 901; sphaerocephalum 901, 902
Dictyuchus 412, 413
sp. 413
Didymiaceae 1044
Didymium 628, 629
anellus 632; **circumcissile 629**, 630, 631f, 632f, 633; difforme 621; eremophilum 628, 632, 633; iridis 318–320, 619, 621, 683, 684, 690, 691, 752, 1044–1061; nigripes 1052; nigripes var. xanthopus 1052
Didymosphaeria celtidis 752; danica 762
Dimorphospora foliicola 500f, 501f, 502, 506
Dinaemasporium decipiens 754
Diplocarpon rosae 659
Diplocladiella scalaroides 529
Diplodia celtigena 754; zeae 659
Diplonaevia 296
Dipodascus 6
Dischloridium 958, 961, 969f
Discocurtisia 297, **307**
arundinariae 307, 308f
Discomycetes 292, 423, 494, 522, 523, 535, 792, 870, 916, 993
Discosia artocreas 754; sp. 500f, 502, 503
Disjunctoriae 144
Ditiola 468
Doratomyces 347
Dothidea 4
Dothidella 763
laminariae 763
Dothiora schizospora 752
Dothiovalsaria megalospora 752
Dothistroma sp. 62
Drechslera 849
australiensis 848–850; halodes 848; hawaiiensis 848, 849; papendorfii 848; sorokineana 658, 659; spp. 674–677
Dwayabeeja 159, 161
graminis 161; sundara 161

Echidnodella 1042
miconiae 1036, 1040f, 1041
Echinostelium minutum 621
Elpidophora 93
Emericellopsis 977
minima 845, 847; salmosynnematum 364
Emmonsia 847
Endocalyx 94, 114
melanoxanthus 94, 108; thwaitesii 94, 108
Endogone 328, 332
incrassata 328, 331, 332; pisiformis 328, 329f, 330f, 331, 332
Endophragmia taxi 659
Endodothella 763
Endothia 930
gyrosa 930; **metrosideri 930**, 931f; parasitica 659, 777–779, 1086; singularis 930; viridistroma 930
Endomycetes 2
Endomycota 2
Entoloma rhodopolium 545
Epibryon 8
intracellulare 8
Epicoccum 874
sp. 500f, 659, 674–678
Epithyrium resinae 59, 60
Eriopeziza 536
Eriothyrium 1040f
miconiae 1036, 1040f, **1041**, 1042
Eurotiales 977
Eurotium halophilicum 597
Eustegia arundinacea 309
Eutypa 4, 915
Eutypella 915
parasitica 742, 743, 743f, 915
Excipula glabrata 292, 304

Femsjonia 468, 470
luteoalba 468, 470, 471; **rubra** 468, 469f, **470**, 471
Fibroporia **angulopora** 623, 624f, 625f, **624**, 626
Fibuloporia 623, 627
donkii 627
Filosporella annelidica 494, 498, 500f, 501f, 502–506, 528; aquatica 494
Fistulina hepatica 908

Flagellospora curvula 501f, 502, 506, 888–892, 894, 895
Flammulina velutipes 225, 351, 353f, 354, 359, 604, 605, 611, 612
Fomes annosus 173, 825, 921
Fomitopsis insularis 921; meliae 995, 996f, 997; pinicola 554
Fuligo megaspora 752; septica 621, 752, 754
Fusarium 30, 32, 228–232, 525, 529, 693
andropogonis 298; annulatum 693–695, 697; anthophilum 693, 694, 697; aquaeductuum 832; culmorum 889; episphaeria 849; fujikuroi 693, 697; moniliforme 656, 693–695, 696f, 697, 754, 1060; nivale 889; oxysporum 744, 889; oxysporum f. sp. pernicicosum 659; proliferatum 693–695, 697; roseum 744; solani 391, 744, 849, 850, 889; sp. 656, 658, 659, 675–678, 681, 849; spp. 782; subglutinans 693–695, 697
Fuscoboletinus aeruginascens 235; serotinus 85; viscidus 85, 86
Fusidium sp. 362

Gaeumannomyces 977
graminis 1086
Galactinia 782, 792
Geastrum saccatum 754
Gelasinospora reticulospora 1074, 1087, 1089; sp. 60
Geniculosporium spp. 59–61
Genistella 759
microspora 759; ramosa 759
Genistelloides 247
hibernus 242, 244f, 247; homothallica 245, 246, 254, 255
Geolegnia inflata 286, 287, 290
Geotrichum candidum 889; sp. 565, 847
Gibberella fujikuroi 293
Gigaspora gigantea 34; spp. 332
Gliocladium 744
Gliomastix murorum 848, 851f, 852; murorum var. felina 848, 850; murorum var. polychroma 848; spp. 849
Gloeocoryneum 283
cinereum 280, 283; **hawaliense 280**, 281f, 282f, 283, 284
Gloeophyllum abietinum 1016; saepiarium 1016; trabeum 995, 1003f, 1016
Glomus clarum 30–33, 170; etunicatum 30–33; fasciculatum 170, 775; macrocarpum 30–33, 775
Gloniopsis curvata 752
Gnomonia 1086
fasciculata 752; intermedia 1086; leptostyla 1086
Gnomoniaceae 930
Gonatobotrys simplex 658
Gonatorrhodiella highlei 658
Gonytrichum caesium 889; macrocladium 529
Graminella 246, 249
microspora 246, 249
Graphiola phoenicis 93–114, 94f, 98f, 100f, 102f, 105f–107f, 110f, 113f
Graphium putredinis 849
Grifola frondosa 353f

Grovesinia 988, **989**
pyramidalis 990f, **991**, 992f, 993
Guttulina 1019
Gymnoascus reesii 845, 847, 850, 851f, 852
Gymnopus agricola 712; dryophilus 717; earleae 712, 714; subsulphureus 719; virginianus 719
Gymnosporangium haraeanum 127; juniperi-virginianae 128
Gyropodium coccineum 37
Gyroporus pisciodorus 699, 702f, 703; praeanisatus 699, 703, 704f, 705; rhoadsiae 699, 702f, 705

Haliphthoros milfordensis 286–288, 290
Halosarpheia 523
retorquens 522, 523, 525; viscosa 522, 523, 525
Halosphaeria cucullata 496; mediosetigera 495, 596, 676, 678
Halosphaeriaceae 496, 670
Hansfordia ovalispora 847
Hapalophragmium 167
nsukkaensis 167, 168f, 169; ornatum 169
Hapalopilus nidulans 754
Harpellales 171, 242, 251, 728
Hebeloma crustuliniforme 237–240, 545
Helicobasidium corticioides 1011, 1017
Helicostylum sp. 588
Heliscus 949, 957
lugdunensis 957; sp. 950
Helminthosporium 362
carbonum 659, 660f; sativum 392; solarii 659; spp. 674–677
Helotiales 423, 977
Hemiascomycetes 1
Hemidothis 59, 61
Hemiphacidiaceae 58, 61
Hendersonia canberrica 284
Hericium coralloides 908
Herpothallon sanguineum 337
Heterobasidiomycetes 324, 854, 1011
Heterobasidion annosum 226, 825–830
Heterotextus luteus 1012, 1015
Holtermannia 854
Homobasidiomycetes 1016
Hormonema sp. 60
Humicola 347
fuscoatra 848–850; grisea 889; sp. 848
Humicolopsis 984f, 985
Hyalopeziza 543
Hyaloscyphaceae 423, 535–537
Hygrophorus chrysodon 544, 545; eburneus 545
Hymenochaete rubiginosa 754; tabacina 754
Hymenoscyphus **ericae 919**; **monotropae 916**, 917f, 918, 918f, 919
Hyphochytridiomycetes 285–287, 290
Hyphochytrium catenoides 285–287, 290
Hyphomycetes 950, 977, 1100
Hyphozyma 984f, 986
Hypoderma laminariae 763
Hypoxylon 861, 1089
atropunctatum 752; investiens 752; serpens 1074, 1089; sp. 754
Hysterangium crassum 431, 433

Hysterium pulicare 752
Hysteropatella prostii 752
Hysteropezizella 292, 295, 296; andropogonis 298; macrospora 302; melatephroides 304

Inocybe 257, 260, 261, 263
aurora var. aurora 259; aurora var. **inodorata 257**, 258f, 259; casimiri 264; cryptocystis 258f, 259; fastigiata subsp. lilofastigiata 270; fastigiella 266; **heterochrominea** 257, 258f, **259**; intricata 258f, 261; intricata var. intricata 261, 263; intricata var. **pallidistipata** 257, **261**, 262f, 263; lanuginosa 264; leptophylla 262f, 263, 264; mixtilis 265; **permucida** 257, 262f, **264**, 265; praetervisa 265; **rosellicaularis** 257, 262f, **265**, 266; submuricellata 267; submuricellata var. submuricellata 269; submuricellata var. **stenospermina** 257, **266**, 267f; trechispora 265; **vinosistipitata** 257, 267f, **269**, 270; xanthomelas 265
Inonotus dryophilus 225, 552
Isaria sp. 849

Junctoriae 144

Kabatina juniperi 59, 60
Keissleriella culmifida 752
Kernia nitida 1072
Khuskia oryzae 848
Kluyveromyces fragilis 377, 378
Kuehneola japonica 127
Kuehneromyces mutabilis 55, 56
Kumanasamuha 161
Kylindria 949, 958, 961, 969f, **970**
clavata 950, **970**; **ellisii** 950, 967f, **970**; **oblongispora** 950, **971**; **triseptata** 950, 968f, 970, **971**; **zignoëllae** 950, 970, **971**

Laboulbeniales 4
Laboulbeniomycetes 3
Laccaria amethystina 545; laccata 221–226, 237–240, 545
Lachnella fasciculata 539
Lachnellula 543
pittospori 539, 542
Lachnum 535
agaricinum 535; virgineum 535
Lactarius camphoratus 545; deliciosus 235, 545; imperceptus 545; psammicola 545; uvidus 545
Laetiporus sulphureus 723, 726, 995, 1001f
Laetisaria arvalis 805, 819, 820
Lagenidium giganteum 285
Lampteromyces 921, 922
japonicus 920–922
Lasiobolidium spirale 1072
Lasiobolus monascus 782, 792
Lasiodiplodia theobromae 849
Lasiosphaeria 977
sp. 522, 524, 526
Lasiosphaeriaceae 977
Leccinum 221, 224–226
arbuticola 544, 545; arctostaphylos 544, 545; armeniacum 545, 546; aurantiacum 225; chromapes 70; constans 545; manzanitae var. angustisporum 545, 546; manzanitae var. manzanitae 545, 546; testaceoscabrum 235
Lecidea cf. flexuosa 752; cf. parasema 752
Lecythophora 977, 984f, 985
hoffmannii 977, **985**; lignicola 985; **mutabilis** 977, **985**
Legeriomyces 246, 247, 759
aenigmaticus 757, 758f, 759, 760f, 761; ramosus 254, 255, 757, 761f
Legeriomycetaceae 171, 242, 251
Lemkea 159
sphaerospora 159, 160f, 161
Lemonniera aquatica 500f, 501f, 502, 506; pseudofloscula 501f, 502, 504, 506; terrestris 501f, 502, 506
Lentinus edodes 351, 353f, 354, 359, 905, 906, 907f; lepidus 995, 999, 1000f
Leotia lubrica 545
Lepista nuda 359
Leptographium sp. 848, 850
Leptolegnia 472, 483, 485
caudata 472, 483; eccentrica 472, 485; sp. 286, 287, 290, 472, 476–478, 480, 482–484
Leptomelanconium 280, 283
piceae 283
Leptopeltis 7, 8
Leptosphaeria circinans 669; neomaritima 675–677; obiones 674–678; sp. 518, 522–528, 674–677, 679
Leucogyrophana arizonica 995; olivascens 995
Leucogyroporus rhoadsiae 705
Levipedes 707, 714
Libertella 915
Licea 46, 628
kleistobolus 47, 49, 50f, 52; operculata 47, 49, 50f, 52
Ligniera 421
Lignincola laevis 678
Lindra 487, 488, 491
inflata 491; marinera 491; **obtusa** 487, **488**, 489f, 490f, 491, 492f, 493f, 494–496; sp. 675, 676; thalassiae 491, 494, 495
Linochora 284
Linodochium sp. 60
Loculoascomycetes 4, 494, 522, 524, 666, 667, 744, 791, 1072
Loculoplectomycetidae 4
Lophiosphaeria vigheffulensis 754
Lophiostoma macrostomoides 754; quadrinucleatum 754; quadrinucleatum var. triseptatum 754; vagabundum 754
Luellia sp. 59, 60
Lulworthia floridana 494, 495; medusa 494; sp. 495, 675, 676, 678
Lunulospora curvula 506, 528
Luttrellia estuarina 522
Lycoperdon heterogeneum 37; marginatum 754
Lyophyllum fumosum 235; sp. 353f, 546

Macrolepiota procera 359; zeyheri 359
Mammaria sp. 848
Mappae 1030
Marasmius conigenus 921; siccus 754

Margarinomyces 986
bubakii 986; hoffmannii 985; mutabilis 985
Massaria xanthoxyli 754
Massarina sp. 522, 523
Maublancia 1036
Melampsora lini 410, 411, 822
Melanconiales 846, 847
Melanomma dubiosum 669; vindelicorum 669
Melanommatales 11, 667
Melanopsamma pomiformis 848, 850
Melanospora 1089
caprina 754; zamie 656, 658, 659
Meliolina haplochaeta 164; novae-zealandae 164; sydowiana 164
Melogrammataceae 769
Menispora 956, 958, 961, 969f
ciliata 956; cylindrosperma 951; uncinata 956
Menisporopsis 956, 958
Memnoniella echinata 848, 850
Merostictis 296
andropogonis 297, 298; luzulina 296; seriata f. comedens 296
Metarrhizium anisopliae 849
Metatrichia vesparium 46, 47, 49, 50f, 52, 752
Microascus cinereus 845, 847, 850; trigonosporus 845, 847, 850
Micromonospora sp. 369
Microperella sp. 60
Micropeziza 292, 297
cornea 297
Microsphaera diffusa 754
Microthyriaceae 1036
Mitremyces cinnabarinum 37; heterogeneus 37; lutescens 37; ravenelii 38
Molinia 293
Molliscoideae 295
Mollisia 292
andropogonis 298; cymbispora 294, 300; eriophori 300; juncina 295, 296; melatephroides 292–295, 304; passerinii 295; phaea 300; stictoidea 297, 306
Monascus 7
Monilia baccarum 145; polycodii 147; vacciniicorymbosi 148
Moniliaceae 846–848
Moniliales 846, 847
Monilinia azalae 145; baccarum 133, 145, 149, 150; fructicola 144, 150; fructigena 832, 833; ledi 133, 145, 146, 149; megalospora 133, 146, 149, 150; oxycocci 146, 149, 150; polycodii 132, 141, 147, 150; rhododendri 147, 149; taxonomic sp. 1 132, 141, 148, 150; urnula 133, 147, 148, 150; vacciniicorymbosi 131–145, 149–150, 140f, 141f, 143f
Monocaryomycotera 1, 2
Monochaetia unicornis 754
Morchella 874
angusticeps 870, 871, 874; esculenta 359, 870–874
Mortierella 67
chlamydospora 64; echinosphaera 64; elongata 67; indohii 64, 66f, 67, 68f, 69; parvispora 67; polycephala 64; vinacea 889, 890
Mortierellaceae 67
Mucor 509, 510
bacilliformis 653; circinelloides f. circinelloides 311, 312f, 313f, 314, 649; circinelloides f. griseo-cyanus 314; circinelloides f. jansenii 314; circinelloides f. lusitanicus 314; dispersus 653; fragilis 653; genevensis 653; hiemalis 314, 653, 889; mucedo 311, 314, 423, 648–654, 889; plumbeus 423, 653; racemosus 653; rouxii 653; sp. 847
Mucoraceae 69
Mucorales 509, 648
Mycelia Sterila 846, 849
Mycetozoans 923
Mycoarachis inversa 1072
Mycocalicium subtile var. parietinum 754
Mycosphaerella 28
acervata 754; ascophylli 762; cucumis 22; fragariae 22; juniperina 754; recutita 754
Myriellina sp. 62
Myrothecium roridum 849, 850; spp. 849; striatisporum 849
Myxomycetes 46, 47, 48f, 49, 50f, 51, 52, 318, 614, 628, 752, 1044

Nais inornata 522, 523, 526
Nectria 4, 526, 771
haematococca 522, 523, 525, 526, 528; lucidum 518, 522, 524–526, 528; lugdunensis 526; oropensoides 754; peziza 754; vulpina 754
Neta patuxentica 529
Neurospora 28, 29, 691
crassa 174, 782, 786; intermedia 1060
Newinia heterophragmae 316, 317f, 318; **kigeliae 316**, 317f, 318
Nigredo dictyosperma 448; globosus 440; janiphae 449; proeminens 442
Nigrospora sphaerica 848; state of Khuskia oryzae 848
Nimbomollisia 292, 295–**297**; **aberrans 298**, 299f; **eriophori 300**, 301f; **macrospora 302**, 303f, 304; **melatephroides 304**, 305f; **stictoidea** 299f, **306**; **trichophoricola 306**
Niptera 292; duplex 295; eriophori 300; melanophaea 306; melatephra 304; melatephroides 304; phaea 292–294, 300
Nipterella 295
melatephroides 295
Nitschkia broomeiana 754; callista 754
Nodulisporium spp. 59, 60, 847

Octomyxa achlyae 412; brevilegniae 412
Oedocephalum sp. 659
Oidiodendron sp. 847, 850
Omphalotus 921, 922
olivascens 920–922; olearius 920–922
Oomycetes 285, 286, 288, 290, 291, 864
Ophiobolus 1086
Ophioceras sp. 521–524, 526, 527
Orbiliella armeniaca 522, 523, 528
Orbimyces spectabilis 494
Orphella coronata 242
Ostrachoderma torrendii 782

Otthia hypoxylon 754
Oxoporus sp. 369

Pachysolen tannophilus 379, 380f
Paecilomyces elegans 889; lilacinus 181, 182; **nostocoides 179**–182, 180f, 181f; sp. 847; varioti 362
Panus tigrinus 176, 178; tigrinus var. squamulosus 176
Papulospora sp. 529, 849
Parachnopeziza 536
Paramoebidium 247, 248f, 249; sp. 757, 759, 761
Parmelia bolliana 754
Paxillus involutus 235, 236
Pediococcus soyae 375, 376
Penicillia 849, 850
Penicillium 30, 32, 361, 362, 369, 494, 678, 745, 874
canescens 848; chrysogenum 361, 362, 368, 372; citreo-viride 848; clavariforme 658, 659; corylophilum 850, 851f, 852, 848; cyclopium 888, 889, 892; decumbens 392; frequentans 848; funiculosum 848; glaucum 366, 385; griseofulvum 362; janthinellum 848; lilacinum 754, 848, 850; notatum 362, 366; puberulum 366; roqueforti 392; sp. 847, 848; spinulosum 889; verruculosum 848; vinaceum 392
Perichaena depressa 46, 47, 49, 50f, 52; vermicularis 49, 51
Periconia prolifica 496
Pertusaria multipunctata 754
Pestalotia cocculi? 847; funerea 59, 60; pezizoides 755; sp. 889, 890
Pezicula sp. 59–61
Peziza 783, 792
aberrans 298; andropogonis 298; arundinariae 307–309; atrovinosa 783, 785, 786, 790f, 792; cannea 307, 309; cerea 782; earoleuca 535, 539, 542; eriophori 294, 295, 300; eriophori ssp. caespitosum (=austriacum) 294; eustegiaeformis 307–309; inspersa 535, 538; michelii 783, 784f, 785, 786, 787f, 792; plebia 782; praetervisa 783, 785, 790f, 792; quelepidotia 783, 784f, 785, 786, 787f, 788f, 790f, 792; retiderma 783, 784f, 785, 787f, 789f, 790f, 792; stictoidea 306; succosa 783, 785, 788f–790f, 792; succosella 783, 784f, 785, 786, 787f–789f, 792; sylvestris 783, 784f, 785, 786, 789f, 792; urnula 147
Pezizaceae 781, 786
Pezizales 786, 792
Pezizella 919
avellanae 919; ericae 916, 919; vulgaris 919
Phacidiales 7
Phacidium macrosporum 296, 302; phoenicis 93
Phaeohelotium sp. 522, 523
Phaeoisaria fasciculata 755
Phaeosphaeriaceae 667
Phaeosphaeria herpotrichioides 754
Phalloidae 1030
Phanerochaete burtii 754; chrysosporium 1005, 1006f, 1008f, 1009f, 1010
Phascolomyces articulosus 595
Phellinus pini 552, 554, 555, 1005; viticola 754; weirii 562–566
Phialea convoluta 539
Phialemonium 977, **978**, 982, 984f, 985, 986 **curvatum** 977, **980**, 981f, 983f; **dimorphosporum** 977, **981**, 982f; **obovatum** 977, **978**, 979f, 983f
Phialophora 295, 977, 978, 984f, 985, 986
hoffmannii 977, 985; lignicola 985; mutabilis 985; richardsiae 997; sp. 848
Phragmonaevia macrospora 302
Pholiota nameko 351, 353f, 354
Phoma 22, 794
apiicola 22; caricae-papayae 22–28; herbarum var. medicaginis 22; medicaginis 744, 754; sp. 889; trifolii 22; urens 22
Phomopsis 164, 1074, 1086
occulata 57, 59–61
Phycomelaina laminariae 762–771, 764f–766f, 768f
Phycomyces blakesleeanus 588, 658, 662, 663f
Phycomycetes 839, 845
Phyllachora 763, 769, 770
ambrosiae 770; eragrostidis 754; lespedezae 770; vulgata 754
Phyllachorales 11
Phyllosticta ampelicida 755; concentrica 57; sp. 61; subeffusa 755
Physarales 628, 1044
Physarum flavicomum 621, 1060; nudum 14; nutans 752; polycephalum 14–20, 318, 319, 621; pusillum 621; rigidum 1060; ?viride 752
Physcia stellaris 754
Phytophthora 412, 413, 747, 751, 881
cactorum 885; cambivora 885; cinnamomi 164, 413, 881, 882, 883f, 884f, 885, 886; citricola 413; citrophthora 885; colocasiae 881, 885; cryptogea 885; drechsleri 885; erythroseptica 885; infestans 413; megasperma 747; nicotianae var. parasitica 881, 882, 883f, 885; palmivora 413, 881, 882, 885; parasitica var. parasitica 881; porri 748f, 749–751; sp. 501f, 502, 889
Pilidiella quercicola 1086
Piloderma 1092
bicolor 237, 238, 240, 1092, 1093; byssinum 1092; croceum 235, 1092, 1093
Piptocephalis virginiana 588, 589, 590f, 595
Piptoporus soloniensis 723, 724, 724f, 725, 725f, 726
Pisolithus tinctorius 235–240
Pithya cupressina 754
Placoasterella baileyi 782
Placostroma 763
Plasmodiophoromycetes 271, 412
Platystomum compressum 754
Plectomycetidae 4
Plectosphaera eucalypti 770
Plenodomus fuscomaculans 832; meliloti 832, 837
Pleochaeta 547
populicola 547, 548f, 549f, 550f, 551; salicicola 551; shiraina 551
Pleospora 4, 667
sp. 675–677; spinosella 754
Pleosporales 667

Pleurotus 922
abalonis 354; cornucopiae 354, 355; erygnia 355; florida 354, 355; ostreatus 354, 355, 908; sajor-cajus 355; sapidus 355; sp. 353f, 354, 355, 357, 359
Plicaria 783, 792
trachycarpa 783, 785, 786, 792
Pocheina 1019, 1020, 1028
flagellata 1019, **1023**, 1025f, 1026f, 1027, 1028; rosea 1019, 1021, 1022f, 1023, 1024f, 1027, 1028
Podospora anserina 1072; curvicolla 1072; dakotensis 1072; ellisiana 1072; hyalopilosa 1072; similis 1072; sp. 1072
Polydesmieae 535, 536
Polymyxa 421
Polyphagus euglenae 209
Polyporaceae 623, 723, 1016
Polyporus adustus 57, 659; amygdalinus 723, 726; betulinus 829; molluscus 627; pseudosulphureus 723, 726; sericeomollis 627; vaillantii 627
Polyschema 161
Polysphondylium pallidum 901; violaceum 902
Poria carbonica 996f, 997, 998f, 999, 1003f; contigua 1016; placenta 995, 996f, 997, 1001f–1003f, 1012, 1015; sp. 754
Porphyrellus sordidus 86
Prillieuxina 1042
Proliferodiscus 536
earoleucus 539, 540, 540f, 541f, 542; **inspersus** 536, 537f, **538**, 539, 540f, 542
Protophysarum phloiogenum 51, 632
Psathyrella longistriata 546
Pseudohalonectria lignicola 518, 521, 522, 524–528
Pseudoleccinum 79
Pseudotomentella 556, 562
atrocyanea 560; atrofusca 560; flavovirens 560; **fumosa** 556, 558f, **558**, 559, 560, 562; griseopergamacea 557, 560; griseoveneta 560; humicola 560, 562; **kaniksuensis** 556, 558, 559f, **560**–562; longisterigmata 560; **molybdea 556**, 557f, 560, 561; mucidula 560, 562; nigra 560; tenebrosa 560; tristis 560, 561f, vepallidospora 560
Pteridosperma 927
Pteroconium 108
Ptychopeltis 1039
roupalae 1039
Puccinia graminis 410; graminis f. sp. tritici 406, 410; helianthi 754; malvacearum 128, 822; poarum 406, 410; polygoni-amphibii 754; recondita 754; recondita f. sp. tritici 406; sorghi 410, 411; sparganioides 410; urticae-carcis 410; windsoriae 754
Pulveroboletus 76
auriflammeus 79
Pycnoporus cinnabarinus 754; sanguineus 1005, 1007f–1009f
Pyrenochaeta terrestris 744
Pyrenomycetes 163, 457, 491, 494, 522, 791, 839, 913, 1036, 1072, 1074
Pyrenopeziza 292
arundinariae 307; glabrata 304; graminis 304; graminis f. glabrata 292, 293, 304
Pyricularia sp. 529
Pyrofomes demidoffii 754
Pyronema domesticum 832–837
Pythiaceae 412, 413
Pythiopsis cymosa 483; intermedia 286, 287, 290
Pythium 271, 369, 412, 413, 416, 421
acanthicum 413, 414; aphanidermatum 413, 415, 420f; aristosporum 413–415; arrhenomones 413, 414; debaryanum 413, 414; dissotocum 413, 414; irregulare 413, 414; iwayamai 413–415; okanoganense 413, 415; proliferum 412, 413, 415, 416, 421, 888, 889, 890–892, 894; pulchrum 413–415; sp. 413–415; spinosum 413–415; torulosum 413, 414; ultimum 413–415

Radiomycetaceae 69
Rhinocladiella cellaris 848; globulifera 755
Rhizidiomyces 285–287, 290
Rhizoctonia solani 658, 659, 874; sp. 849
Rhizophydium 209
Rhizopogon roseolus 235; sp. 546; vinicolor 237, 238
Rhizopus arrhizus 389, 392; nigricans 648, 847, 850, 889; stolonifer 648, 833
Rhodocollybia 707
Rhodotorula glutinis 221–225
Rhozites caperata 222
Rhytidospora 927
cainii 927, 928f, 929f; tetraspora 927
Rimosae 266, 270
Roestelia phoenicis 94
Rogersia annelidica 504
Rosellinia limoniispora 754
Russula brunneoviolacea 546; delica 546; pectinata 546; raoultii 546
Rutstroemia baccarum 145

Saccardoella transylvanica 754
Saccharomyces cerevisae 371, 372, 378; fibuligera 378; rouxii 375, 376
Saccobolus kerverni 782, 792
Sarcopodium 949
circinatum 950, 951
Sapromyces androgynus 285, 290
Saprolegnia 412, 513
asterophora 413; australis 483; diclina 413; ferax 285, 291, 413, 483; megasperma 483; sp. 285–288, 290; subterranea 413
Saprolegniaceae 412, 413
Savoryella lignicola 518, 521, 522, 524, 527
Schizophyllum 369
commune 176, 692, 754, 829, 1060
Schizopora paradoxa 754
Scleroderma calostoma 37
Sclerotinia 454–456
heteroica 146; ledi 146; megalospora 146; moricola 988, 991; oxycocci 146; polycodii 147; rhododendri 147; sclerotiorum 451, 452, 453f, 454–456, 988, 991, 993, 1003; sp. 993; trifoliorum 456; vaccinii 147, 149; vaccinii-corymbosi 148

Sclerotiniaceae 131, 991
Sclerotium cinnamomi 991; rolfsii 566
Scolecobasidium humicola 848; variabile 848, 849
Scolecosporiella 59–61
Scopulariopsis baarnensis 848; brevicaulis 782, 848; chartarum 848–850; fimicola 848; sp. 848; sphaerospora 848
Scutomollisia 297
  punctum 297
Scytalidium sp. 565
Section Liseola 693
Seiridium juniperi 59, 60
Semimorula 153, 154
  liquescens 153f–156f, **156**–158
Septogloeum 284
Septoria agrimoniae 755; sp. 675, 676
Serpula himantioides 997; incrassata 995
Sibrina fungicola 755
Sigmoidea 487; luteola 494, 496; sp. 59, 60
Simuliomyces microsporus 242, 243, 245, 247, 761; **spica** 242, **246**, 247, 248f, 249, 761
Sirodithis sp. 59–61
Sistotrema brinkmannii 829, 1060
Smittium 171, 246, 251, 252, 728; arvernense 252, 254; culicis 251; culisetae 171–173, 251, 252, 252f, 253–255, 734; **dimorphum** 728, **729**, 730f, 731f, 733, 734; morbosum 251, 729
Sordaria 4, 770, 926, 1074
  fimicola 658, 662, 663f, 923, 926; humana 771, 782, 792, 1089; sp. 522; spp. 782
Sorodiscus cokeri 412
Spegazzinia tessarthra 108
Spermaspora subulata 755
Sphaeria bulbosa 458
Sphaeriales 913
Sphaerophragmium 167
Sphaeropsidales 846, 847
Sphaeropsis malorum 658, 659, 662
Sphaerotheca phytoptophila 754
Sphaerulina sp. 674–677, 679
Spilodochium acaciae 283
Sporidesmium hyalospermum 529
Sporormia australis 782; sp. 847
Sporormiella sp. 522
Sporoschisma saccardoi 529
Sporothrix schenckii 980; sp. 848
Sporotrichum sp. 848
Squamuloderma 628
  nullifila 628
Stachybotrys 961
  atra 848; state of Melanopsamma pomiformis 848, 850
Stachylina **pedifer** 728, **729**, 732–734
Stagonospora 284; atriplicis 755; graminella 755
Steccherinum ochraceum 754
Stegophora ulmea 1086
Stemonitales 614
Stemonitis axifera 752; flavogenita 614–617, 619, 621, 622; fusca 752; splendens 752
Stemphylium solani 832; spp. 674–677; vesicarium 849, 850
Stephanoma phaeospora 657, 658
Stereum 863
  hirsutum 921; hirsutum complex 863; ostrea 754; sp. 754, 755
Stigmina compacta 283
Stilbaceae 846, 849
Stilbella sp. 755
Stilbum aeruginosum 327; arcticum 327; aurifilum 324; cellum 324, 327; sebaceum 327; zacalloxanthum 324, 327
Stipella viglans 243
Strangulidium 623, 627
Streptomyces griseoloalbus 565; sp. 369
Stirps Citrina 1030
Stropharia rugoso-annulata 351, 354
Stylina 114
Suillus bovinus 235; brevipes 90; elegans 235; granulatus 235; grevillei 86, 91, 235; lakei 237–239, 546; luteus 235; pinorigidus 85; placidus 235; **salmonicolor** 70, **85**; sublutens 85; tridentinus 235; unicolor 90; variegatus 225, 236

Taenioella subsessilis 755
Tapesia 292, 297
Taphrinales 2
Taphrinomycetes 2
Taphrinomycota 2
Teichospora 667
  trabicola 754
Teloschistes chrysophthalmus 754
Tetracladium marchalianum 498, 500f, 501f, 502–504, 506, 528, 888–892, 894
Tetraploa aristata 674–677
Thamnidiaceae 509
Thelebolus spp. 782; stercoreus 1072
Thelephora americana 237, 238; cuticularis 754; terrestris 546
Thielavia 1064, 1068
  coprophila 1068; sp. 522, 525; terrestris 986; tetraspora 1068
Thielaviopsis basicola 581
Tilletia aegopogonis 974, 976; caries 974; foetida 974; indica 333, 334f, 335f, 336; lycuroides 974–976
Titanella pelorospora 754
Torulopsis sp. 375, 376
Trametes sanguinea 389, 390
Trematosphaeria circinans 666, 667, 669, 774, 745f, 746, 746f; epileuca 754; pertusa 667; vindelicorum 668f
Tremella 854–863
  anomala 854, 860, 860f; aurantia 863; auricularia 854, 855f, 855–857; dysenterica 854, 856f, 857; fibulifera 854, 857f, 858f, 859, 859f; foliacea 754, 857; fuciformis 351, 354; fucoides 854; indecorata 861; lutescens f. brasiliensis 854; neofibulifera 859; olens 859; spectabilis 854, 861, 862f, 863; subanomala 861; wrightii 854
Tremellales 933
Trentepohlia 337
Trichaptum biforme 754
Trichia botrytis 49; crateriformis 46, 47, 48f, 49, 50f, 51, 52
Trichobasis euphorbiaecola 442
Trichobelonium 292

Trichobotrys 161
Trichocladium achrasporum 496, 675, 676, 678; canadense 849; lignicola 529
Trichoderma 30, 32, 874
harzianum 60, 889; koningii 848; pseudokoningii 889; reesei 379, 876–880; saturnisporum 782; sp. 55, 56, 369, 529; spp. 849; viride 565, 566, 678, 848
Trichodesmium phoenicis 93
Tricholoma 235
flavobrunneum 236; imbricatum 236; matsutake 236; pardinum 236; pessundatum 236; robustum 236; vaccinum 236
Tricholomataceae 920, 922
Trichometasphaeria culmifida 754
Trichomycetes 171, 242, 251, 728, 757
Trichopeziza caroleuca 539, 543
Trichosphaeriales 11
Trichothecium roseum 659, 889
Trichothyrina 1042; sp. 1042
Trichozygospora 246
chironomidarum 246
Trichurus sp. 659
Tricladium angulatum 501f, 502, 505, 506, 528; gracile 506
Triphragmium 167
Tripterospora brevicaudata 1072; erostrata 1072
Triscelophorus monosporus 505, 506, 528
Tritirachium 848
sp. 659
Trochila macrospora 302
Truncospora ohiensis 754
Tuber melanosporum 351, 354
Tuberculariaceae 846, 849
Tylopilus 699, 701
ballouii 701, 705; chromapes 70; eximius 83; ferrugineus 73; indecisus 73, 75; isabellescens 699, 700f, 701, 705; peralbidus 705; peralbidus f. praeanisatus 703; porphyrosporus var. sordidus 86; praeanisatus 703; rhoadsiae 705; sordidus 86; tabacinus 703
Tyromyces trichrous 723, 726; unicolor 754

Uncigera 949, 951, 960
cordae 970; **polysperma** 950, 957f, 959f, **969**
Uncinula 551
salicis 551
Uredo cisneroanus 441; ellisianus 442; euphorbiicola 442; euphorbiae var. minor 442; janiphae 449; myristica 442; poinsettiae 442; proeminens 442; pulvinatus 442; tordillensis 442
Uromyces 436
actinostemonis 436–438, 442; agnatus 436, 437, 442, 447f, 448, 449; andinus 436, 437, 443f, 444, 446; carthagenensis 436–438, 439f, 440; cisneroanus 436, 437, 439f, 440, 441; cnidoscoli 436, 437, 446, 447f, 448; commelinae 754; coordinatus 436, 437, 443f, 445; dichrous 449; dictyosperma 436, 437, 447f, 448; euphorbiae 436, 437, 442, 443f, 444, 445; excavatus 445; globosus 436, 437, 439f, 440, 441; hypsophilus 444; jatrophae 436–438, 447f, 449; jatrophicola 436, 437, 446, 447f, 448; largus 444; macounianus 436, 437, 443f, 444, 445; manihoticola 436, 437, 439f, 440; mayorii 436, 437, 443f, 444, 445; oaxacanus 436–438, 441, 442, 443f, 449; occidentalis 446; phaseoli 118; phaseoli var. typica 795, 796, 798f, 799f, 801f–804f, 805, 806f, 807, 808f, 809, 810f–812f, 813, 814, 815f, 816f, 817, 818f–821f, 822, 823; phaseoli var. vignae 127, 129, 814, 822; tolerandus 436, 438, 439f; tranzschelii 436, 437, 443f, 445; uleanus 436, 437, 446, 447f; vestitus 436, 437, 439f, 440, 441
Ustomycota 2

Valsa cenista 754
Valsaria insitiva 754
Vargamyces aquaticus 501f, 502, 506
Varicosporina ramulosa 494, 670, 675, 676, 679, 680
Vermiculosoides 88, 89
Verticicladiella procera 659
Verticillium albo-atrum 658, 659; fungicola 349; lecanii 848
Volutella sp. 755
Volvariella volvacea 351, 352, 354

Woronina leptolegniae 421; polycystis 421; pythii 271, 272f, 275f–277f, 278, 412–416, 417f–420f, 421

Xenokylindria 949, 958, 961, 969f, **971**
prolifera 950, 966f, **971**
Xenostomella 1036, 1037, 1042
Xerocomus badius var. limatulus 77; boudieri 76; roxanae 83
Xylaria 4, 391, 457, 770, 1074, 1089
acuta 460; bulbosa 458, 459f, 460, 465; castorea 459f, 462f, 463, 465, 466; clavata 463; corniformis 460, 463, 465, 466; cubensis 466; curta 459f, 462f, 463–466; digitata 460; faveolis 463, 465; feejeensis 460, 465; feejeensis subsp. faveolis 463, 465, 466; hypoxylon 460, 754; longipes 459f, 460, 461, 462f, 463; longipes "var. microspora" 463, 465, 466; polymorpha 754; rhopaloides 463; spp. 59, 60
Xylariaceae 457, 460
Xylobolus frustulatus 754, 1005, 1006f, 1007f, 1009
Xylomyces chlamydosporis 529
Xylosphaera curta 463, 465; feejeensis subsp. faveolis 464, 465

Yeast 369, 379, 848

Zalerion maritimum 678
Zanclospora 956, 958, 961, 969f
Zoophagus insidians 290
Zopfiella sp. 522, 525
Zygomycetes 648
Zygomycota 1
Zygomycotina 846, 847
Zygopolaris ephemeridarum 759
Zygorhynchus 510, 874
möelleri 888, 889, 892, 894, 895

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
Cryptosporiopsis abietina 58; Cytosporella sp. 56; Phomopsis occulata 56; Phyllosticta sp. 58, 59; Xylaria sp. 56
Acacia
Camptomeris albiziae 284; Coelomycetes 284; Cylindrosporium 284; Gloeocoryneum hawaiiense 280, 283; Linochora 284; Septogloeum 284; Spilodochium acaciae 283; Stagonospora 284
Acer
Diatrypella frostii 913; Eutypella parasitica 742; Xylaria bulbosa 460, longipes 463
Achlya
Octomyxa achlyae 412
Actinostemonis
Uromyces actinostemonis 437
Aedes
Smittium culisetae 171, 251, 252
Aegopogon
Tilletia aegopogonis 974
Allium
Phytophthora porri 750
Allocapnia
Capniomyces stellatus 243; Genistelloides hibernus 242, 246; Paramoebidium sp. 249; Simuliomyces spica 246, 247, 248f, 249
Alternaria
Acladium tenellum 659
Andropogon
Nimbomollisia aberrans 298
Arbutus
List of fungi associated with 545, 546
Arctostaphylos
List of fungi associated with 545, 546
Arundinaria
Belonodium arundinariae 307; Belonium eustegiaeforme 307
Ascophyllum
Mycosphaerella ascophylli 762
Atriplex
Mycorrhizal fungi 733

Betula
Xylaria curta 466
Bispora
Acladium tenellum 659
Bivonia
Uromyces oaxacanus 442
Boreoheptagyia
Smittium dimorphum 728; Stachylina pedifer 728
Brevilegnia
Octomyxa brevilegniae 412

Calocedrus
Diaporthe cf. eres 60; Geniculosporium sp. 60, 62; Linodochium sp. 60, 62; Sirodothis sp. 60
Campanula
Phytophthora porri 751
Carex
Hysteropezizella melatephroides 293; Mollisia cymbispora 294; Nimbomollisia eriophori 300, 302, macrospora 302, 304, melatephroides 304; Peziza eriophori 294; Phacidium macrosporum 295
Carya
Xylaria bulbosa 460
Casearia
Asterinema caseariae 1037
Castanea
Xylaria bulbosa 460
Celtis
Pleochaeta 551
Ceratopogonidae
Smittium 251
Cerrena
Dendrostilbella aurifila 325
Chamaecyparis
Chloroscypha alutipes 60; Gelatinosporium sp. 60; Kabatina juniperi 60; Nodulisporium sp. 60; Pezicula sp. 60; Sirodothis sp. 60; Scolecosporiella sp. 60; Xylaria sp. 60
Chamaesyce
Uromyces euphorbiae 444
Champereia
Asterina decipiens 1042
Chichorium
Sclerotium sclerotiorum 454
Chironomidae
Smittium 251
Chondrus
Didymosphaeria danica 762
Chrysanthemum
Phytophthora porri 751
Cladosporium
Caulochytrium protostelioides 923
Clidemia
Eriothyrium miconiae 1041
Cnidoscolus
Uromyces cnidoscoli 446, jatrophicola 448, oaxacanus 442
Culicidae
Smittium culisetae 251, culicis 251, morbosum 251

Daucus
Phytophthora porri 751
Dianthus
Phytophthora porri 751
Dichrophyllum
Uromyces euphorbiae 444
Diplocarpon
Acladium tenellum 659
Diplodia
Acladium tenellum 659

Drunella
Legeriomyces aenigmaticus 757

Endophragmia
Acladium tenellum 659
Ephemerella
Legeriomyces ramosus 757
Eriophorum
Dibeloniella eriophori 300; Hysteropezizella melatephroides 293; Mollisia cymbispora 294; Nimbomollisia eriophori 300, 302, macrospora 302, 304, melatephroides 304; Peziza eriophori 294
Euphorbia
Rusts on 280; Uromyces andinus 444, coordinatus 445, dictyosperma 448, euphorbiae 442; macounianus 445, mayorii 444, uleanus 446
Euphorbiaceae
Uromyces spp. 436

Fagus
Xylaria bulbosa 460, curta 466
Flacourtiaceae
Asterinema caseariae var. amazonense 1037
Fusarium
Acladium tenellum 659

Gaylussacia
Monilinia polycodii 132, taxonomic sp. 1 132, vaccinii-corymbosi 131, 132
Gladiolus
Phytophthora porri 750
Gloeosporium
Caulochytrium gloeosporii 923

Helianthemum
Byssothecium circinans 669; Trematosphaeria circinans 744
Helianthus
Sclerotinia sclerotiorum 451
Helminthosporium
Acladium tenellum 659
Heterodera
Paecilomyces nostocoides 179
Heterophragma
Newinia heterophragmae 316
Hicoria
Xylaria bulbosa 460

Jatropha
Uromyces agnatus 449; jatrophae 449, jatrophicola 448, oaxacanus 442
Juncus
Merostictis andropogonis 297; Mollisia juncina 295, phaea 293, stictoidea 297; Nimbomollisia eriophori 300, 302, stictoidea 306; Niptera phaea 292, 300; Peziza eriophori 294
Juniperus
Cryptocline sp. 60; Epithyrium resinae 60, 62; Hormonema sp. 60, 62; Sirodothis sp. 60

Kigelia
Newinia kigeliae 316

Lactuca
Sclerotinia sclerotiorum 451
Laminaria
Phycomelaina laminariae 762
Ledum
Monilinia ledi 146, vaccinii-corymbosi 131
Leek
Phytophthora porri 750
Leguminosae
Camptomeris albiziae 284
Leptodora
Leptolegnia 472
Leucobryum
Epibryon leucobryi 8
Ligustrum
Byssothecium circinans 669; Trematosphaeria circinans 744
Luzula
Nimbomollisia eriophori 300, 302
Lycopersicum
Sclerotium sclerotiorum 454
Lycopodium
Nimbomollisia melatephroides 304
Lycurus
Tilletia lycuroides 974
Lythrum
Semimorula liquescens 153

Malus
Xylaria curta 466
Man
Cladosporium trichoides var. chlamydosporum 320
Manihot
Uromyces carthagenensis 438, jatrophae 449, manihoticola 440, tolerandus 438
Medicago
Trematosphaeria circinans 666, 744
Meloidogyne
Paecilomyces lilacinus 182
Metrosideros
Diaporthopsis metrosideri 165, 930; Endothia metrosideri 930
Miconia
Eriothyrium miconiae 1041
Midge
Trichomycetes in 251
Millettia
Hapalophragmium nsukkaensis 167, ornatum 169
Molinia
Actinothyrium graminis 293; Belonium hystrix 293; Dermatella glabrata 304; Hysteropezizella melatephroides 304; Mollisia melatephroides 292, 294; Nimbomollisia melatephroides 304
Monotropa
Hymenoscyphus monotropae 916
Mosquito
Trichomycetes in 251

Neomesomermis
Leptolegnia sp. 472, 473
Nothofagus
Xylaria castorea 466

Phaseolus
Uromyces phaseoli var. typica 796
Phoenix
Graphiola phoenicis 95
Picea
Dothistroma sp. 56, 62; Leptomelanconium piceae 283; Libertella sp. 56; Microsphaeropsis sp. 56; Myriellina sp. 56, 62; Phylactaena sp. 56; Plectophomella sp. 58
Pinus
Cronartium quercuum f. sp. fusiforme 118, 400; Hemidothis sp. 56; Lophodermium pinastri 58; Naemacyclus minor 58, major 58; Phragmopycnis 58
Poinsettia
Uromyces euphorbiae 444
Polygonum
Glomus clarum 170
Populus
Pleochaeta populicola 548
Prunus
Cristulariella sp. 988
Pseudotsuga
Fibroporia angulopora 623; Hemidothis sp. 56; Hemiphacidiaceae 58; Phyllosticta sp. 58, 59; Xylaria sp. 58
Pythium
Sorodiscus cokeri 412; Woronina pythii 271, 412

Rhododendron
Calonectria theae 162; Monilinia azalae 145, rhododendri 147, vaccinii-corymbosi 131
Robinia
Phytophthora cinnamomi 881
Roots and stems
Cylindrocladium spp. 228; Fusarium spp. 228
Roupala
Asterinema glabratum var. roupalae 1039

Sabal
Graphiola phoenicis 95
Salicaceae
Unicinula salicis 551
Salix
Pleochaeta 551
Sapium
Uromyces cisneroanus 441, vestitus 441
Schistochila
Epibryon intracellulare 8
Scirpus
Glomus macrocarpum 170
Sequoia
Cryptosporiopsis abietina 56; Hemidothis sp. 56
Simulidae
Smittium 251
Solidago
Semimorula liquescens 153
Sordaria
Caulochytrium protostelioides var. vulgaris 923
Sphaeropsis
Acladium tenellum 659
Stoneflies
Orphella coronata 242; Trichomycetes on 242

Thuja
Chloroscypha seaveri 60; Geniculosporium sp. 60; Luellia sp. 60; Microperella sp. 60; Pestalotia funerea 60; Phomopsis occulata 60; Seiridium juniperi 60; Sigmoidea sp. 60; Xylaria sp. 60
Tree fern
Phyllachora cibotii 280
Tree seedlings
Cylindrocladium spp. 228; Fusarium spp. 228
Trichophorum
Dibeloniella trichophoricola 294; Hysteropezizella melatephroides 293; Nimbomollisia eriophori 300, 302, melatephroides 304, trichophoricola 306; Peziza eriophorum 294
Tulipa
Phytophthora porri 751

Vaccinium
Monilinia baccarum 145, ledi 146, megalospora 146, oxycocci 147, urnula 148, vaccinii-corymbosa 131, 132, 134
Verticillium
Acladium tenellum 659

Weinmannia
Xylaria castorea 466

Zea
Glomus clarum 170

Mycologia

OFFICIAL PUBLICATION OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME 75, 1983

CONSISTING OF 1136 PAGES,
INCLUDING FIGURES

TABLE OF CONTENTS

No. 1 January–February 1983
Issued 24 February 1983

The ascomycete connection
1 **M. E. Barr**

Sporulation of oat-cultured *Physarum polycephalum*. II. Sporulation competence of slow desiccation-induced sclerotia
14 **E. Hosoda**

Light-dependence for fruiting body formation and its inheritance in *Phoma caricae-papayae*
22 **Y. Honda and M. Aragaki**

Germination of chlamydospores of three *Glomus* species as affected by soil matric potential and fungal contamination
30 **D. M. Sylvia and N. C. Schenck**

Basidiospore wall ultrastructure and tissue system morphology in the genus *Calostoma* in North America
36 **E. Castro-Mendoza, O. K. Miller, Jr., and D. A. Stetler**

SEM studies on operculum structure in the myxomycete *Trichia crateriformis*
46 **L. Frederick, I. L. Roth, and R. Simons**

Patterns of substrate utilization by some fungal endophytes from coniferous foliage
53 **G. Carroll and O. Petrini**

Light and electron microscopy of *Mortierella indohii* zygospores
64 **P. J. Ansell and T. W. K. Young**

Boletes described by Charles C. Frost
70 **R. E. Halling**

Graphiola phoenicis: a taxonomic enigma
93 **G. T. Cole**

Ultrastructure of the infection and early colonization of *Pinus taeda* by *Cronartium quercuum* formae speciales *fusiforme*
117 **D. J. Gray, H. V. Amerson, and C. G. Van Dyke**

Monilinia vaccinii-corymbosi (Sclerotiniaceae): its biology on blueberry and comparison with related species
131 **L. R. Batra**

Semimorula: new genus with myxomycete and protostelid affinities
153 **E. F. Haskins, M. D. McGuinness, and C. S. Berry**

Brief Articles

Lemkea, a new dematiaceous hyphomycete genus
159 **G. Morgan-Jones and R. C. Sinclair**

Homothallism in *Calonectria theae*
162 **N. E. El-Gholl, C. L. Schoulties, and S. A. Alfieri, Jr.**

A new pyrenomycete associated with *Metrosideros collina* subspecies *polymorpha* (Myrtaceae)
163 **M. K. Roane and F. R. Fosberg**

A new species of *Hapalophragmium* from Nigeria
167 **D. O. Eboh**

Vesicular-arbuscular mycorrhiza fragments as a means of endophyte identification at hydrophytic sites
169 **A. E. Liberta, R. C. Anderson, and L. A. Dickman**

Spore longevity of *Smittium culisetae* (Harpellales, Legeriomycetaceae)
171 **M. C. Williams**

Septum structure in *Dactylella lysipaga*
174 **D. B. Wimble and T. W. K. Young**

Temperature sensitive mutations affecting extracellular phenoloxidase activity in *Panus tigrinus*
176 **W. L. Nicholson and A. D. Robinson**

Paecilomyces nostocoides, a new hyphomycete isolated from cysts of *Heterodera zeae*
179 **M. T. Dunn**

Book Reviews
183
Instructions to Authors
195

No. 2 March–April 1983
Issued 13 April 1983

David Gottlieb, 1911–1982
199 **P. D. Shaw and R. E. Ford**

Isolation of an anthraquinone-accumulating mutant of *Aspergillus parasiticus* and partial characterization by dry column chromatography
202 **J. W. Bennett, F. G. Kronberg, L. A. Goodman, and M. A. Seltman**

Cytochemical detection of polysaccharides and the ultrastructure of the cell coat of zoospores of *Chytriomyces aureus* and *Chytriomyces hyalinus*
209 **D. W. Dorward and M. J. Powell**

Spore germination, homing reaction, and intersterility groups in *Laccaria laccata* (Agaricales)
221 **N. Fries**

Selective media for recovery of *Cylindrocladium* and *Fusarium* species from roots and stems of tree seedlings
228 **J. R. Newhouse and B. B. Hunter**

Growth variation between and within species of ectomycorrhizal fungi in response to pH *in vitro*
234 **L.-L. Hung and J. M. Trappe**

Capniomyces stellatus and *Simuliomyces spica:* new taxa of Harpellales (Trichomycetes) from winter-emerging stoneflies
242 **S. W. Peterson and R. W. Lichtwardt**

Zygospores in *Smittium culisetae* (Trichomycetes) and observations on trichospore germination
251 **M. C. Williams**

Nova Scotian Inocybes. VII
257 **D. W. Grund and D. E. Stuntz**

Nuclear elimination during cyst formation in *Woronina pythii* (Plasmodiophoromycetes)
271 **D. P. Dylewski and C. E. Miller**

Hawaiian forest fungi. III. A new species, *Gloeocoryneum hawaiiense,* on *Acacia koa*
280 **B. C. Sutton and C. S. Hodges, Jr.**

Sterols of selected species of Oomycetes and Hyphochytridiomycetes
285 **S. A. Warner, G. W. Sovocool, and A. J. Domnas**

Nimbomollisia and *Discocurtisia:* two new genera of mollisioid Discomycetes
292 **J. A. Nannfeldt**

ATCC 7941 is not *Mucor mucedo*
311 **T. M. Hammill, D. L. Secor, and B. E. Thompson**

Brief Articles

A new species of *Newinia* from Nigeria
316 **D. O. Eboh**

The *Didymium iridis* mating system: no evidence for a *mat* B locus
318 **J. Clark**

A new variety of *Cladosporium trichoides*
320 **K. J. Kwon-Chung**

Dendrostilbella aurifila, a fungicolous synnematal hyphomycete
324 **K. A. Seifert and J. A. MacKinnon**

Germination of zygospores of *Endogone pisiformis*
328 **S. M. Berch and J. A. Fortin**

Sheath structure of *Tilletia indica* teliospores
333 **J. S. Gardner, J. V. Allen, W. M. Hess, and R. K. Tripathi**

The ultrastructure of lichens. VII. *Chiodecton sanguineum*
337 **K. Withrow and V. Ahmadjian**

Symposium

Resources needed to farm the 'Champignon'
341 **P. J. Wuest**

Mushroom industry: diversification with additional species in the United States
351 **D. F. Farr**

Contribution of mycology to the antibiotic industry
361 **D. A. Lowe and R. P. Elander**

Fungi—sources of food, fuel, and biochemicals
374 **C. P. Kurtzman**

Fungal transformations as a useful method for the synthesis of organic compounds
383 **O. K. Sebek**

No. 3 May–June 1983
Issued 15 June 1983

George Thomas Johnson, 1916–1981
395 **D. E. Talburt**

Ultrastructure of ornamentation development on aeciospores of *Cronartium quercuum* forma specialis *fusiforme*
400 **C. W. Mims and R. W. Roberson**

Systematic and host range studies of *Woronina pythii* (Plasmodiophoromycetes) and host, *Pythium* species, from axenic culture
412 **D. P. Dylewski and C. E. Miller**

Formation of calcium oxalate crystals associated with apothecia of the discomycete *Dasyscypha capitata*
423 **H. T. Horner, L. H. Tiffany, and A. M. Cody**

Autoecious *Uromyces* that infect New-World Euphorbiaceae
436 **H. L. Monoson and S. E. Prose**

Tan sclerotia of *Sclerotinia sclerotiorum* from lettuce
451 **L. E. Garrabrandt, S. A. Johnston, and J. L. Peterson**

Xylaria bulbosa, Xylaria curta, and *Xylaria longipes* in continental United States
457 **J. D. Rogers**

Notes on the genus *Femsjonia* in China
468 **M. Zang**

Physiological and nutritional studies with an isolate of *Leptolegnia* sp. from the freshwater nematode *Neomesomermis flumenalis*
472 **R. A. Nolan**

Lindra obtusa, a new marine ascomycete and its *Anguillospora* anamorph
487 **A. Nakagiri and K. Tubaki**

Comparison of three techniques for the study of aquatic hyphomycete communities
498 **C. A. Shearer and L. C. Lane**

Zygospore structure in *Cokeromyces recurvatus* with notes on the asexual apparatus
509 **P. Jeffries and T. W. K. Young**

Patterns of occurrence of Ascomycetes associated with decomposing twigs in a midwestern stream
518 **C. A. Shearer and S. B. Von Bodman**

A new *Chaetomium* species from Turkey
531 **A. Carter**

Studies in the Hyaloscyphaceae II: *Proliferodiscus,* a new genus of Arachnopezizoideae
535 **J. H. Haines and K. P. Dumont**

Brief Articles

Fungi associated with *Arbutus menziesii, Arctostaphylos manzanita,* and *Arctostaphylos uva-ursi* in central and northern California
544 **J. Acsai and D. L. Largent**

A new species of *Pleochaeta* from China
547 **X.-l Zhang**

An unusual decay pattern in brown-rotted wood
552 **R. A. Blanchette**

Notes on tomentelloid fungi V. Additional new species of *Pseudotomentella*
556 **M. J. Larsen**

Melanin-like pigment in zone lines of *Phellinus weirii*-colonized wood
562 **C. Y. Li**

Book Reviews
567

No. 4 July–August 1983
Issued 12 August 1983

Cecil Edmund Yarwood, 1907–1981
579 **L. M. Black, A. R. Weinhold, and A. H. Gold**

Host-parasite relations in a mycoparasite. VIII. Age-related host resistance in *Choanephora cucurbitarum*
588 **M. S. Manocha and C. D. Campbell**

Protein production and growth characteristics of *Chaetomium cellulolyticum* during solid state fermentation of corn stover
597 **D. S. Chahal, M. Moo-Young, and D. Vlach**

Effects of competition among *Flammulina velutipes* fruitbodies on their growth
604 **H. E. Gruen**

Apomixis and heterothallism in *Stemonitis flavogenita* (Myxomycetes, Stemonitales)
614 **O. R. Collins, T. Gong, J. Clark, and H.-C. Tang**

Fibroporia angulopora, a new species (Aphyllophorales, Polyporaceae) associated with brown-rot of *Pseudotsuga menziesii* residue in western Oregon
623 **M. J. Larsen and F. F. Lombard**

A new *Didymium* from Rarotonga, Cook Islands
628 **K. D. Whitney and L. S. Olive**

Ultrastructural studies of vegetative and fruiting mycelia of *Coprinus congregatus*
634 **L. E. Henderson and I. K. Ross**

The number of nuclei in sporangiospores of *Mucor mucedo*
648 **T. M. Hammill and D. L. Secor**

Parasitism and nutrition of the contact mycoparasite *Acladium tenellum*
656 **W. R. Kuykendall, D. F. Hindal, and H. L. Barnett**

On *Trematosphaeria circinans* and reinstatement of the genus *Byssothecium*
666 **J. Boise**

Direct enumeration of marine arenicolous fungi
670 **P. W. Kirk, Jr.**

Genetical analyses of an apomictic-heterothallic convertant of *Didymium iridis* (Myxomycetes)
683 **O. R. Collins, T. Gong, and M. Grantham**

Taxonomic importance of microconidial chains in *Fusarium* Section *Liseola* and effects of water potential on their formation
693 **N. L. Fisher, W. F. O. Marasas, and T. A. Toussoun**

Type studies in *Tylopilus*. II. Species described by William A. Murrill
699 **C. B. Wolfe, Jr.**

Biological species in the *Collybia dryophila* group in North America
707 **R. Vilgalys and O. K. Miller, Jr.**

A cultural study of *Piptoporus soloniensis* (Aphyllophorales, Polyporaceae)
723 **F. F. Lombard**

Two unusual Trichomycetes in an aquatic midge larva
728 **R. W. Lichtwardt and M. C. Williams**

Brief Articles

Rapid quantitative homogenization of semi-micro mycelium samples
735 **I. K. Ross**

Sclerotium formation in *Coprinus congregatus*
738 **L. E. Henderson, M. Elliott, and I. K. Ross**

Observations on the anamorph of *Eutypella parasitica*
742 **D. A. Glawe**

Association of *Trematosphaeria circinans* with crown and root rot of alfalfa in South Dakota
744 **G. Semeniuk**

Phytophthora porri from stored carrots in Alberta
747 **H. H. Ho**

The 1979 Oklahoma Foray
752 **W. B. Cooke**

Financial Report
756

No. 5 September–October 1983
Issued 8 November 1983

A new *Legeriomyces* (Harpellales) with variable trichospore size
757 **R. W. Lichtwardt and M. C. Williams**

The developmental morphology and life history of *Phycomelaina laminariae*
762 **S. Schatz**

Formation of vesicular-arbuscular mycorrhizae in *Atriplex gardneri* (Chenopodiaceae): seasonal response in a cold desert
773 **M. F. Allen**

Conversion to curative morphology in *Endothia parasitica* and its restriction by vegetative compatibility
777 **S. L. Anagnostakis**

Septal structures in apothecial tissues of the Pezizaceae (Pezizales, Ascomycetes)
781 **K. J. Curry and J. W. Kimbrough**

Ultrastructural organization of the non-differentiated uredospore germling of *Uromyces phaseoli* variety *typica*
795 **H. C. Hoch and R. C. Staples**

Sexuality, distribution, and dispersal of *Heterobasidion annosum* in pine plantations of Vermont
825 **T. E. Chase and R. C. Ullrich**

Chemical induction of *Pyronema domesticum* apothecia in the dark
832 **E. Moore-Landecker**

Filamentous fungi of the psammon habitat at Enewetak Atoll, Marshall Islands
839 **P. H. Dunn and G. E. Baker**

On some species of *Tremella* described by Alfred Möller
854 **R. J. Bandoni and F. Oberwinkler**

A method for controlling female morphogenesis in *Achlya ambisexualis*
864 **W. E. Hintz and P. A. Horgen**

Spore germination of and carbohydrate colonization by *Morchella esculenta* at different soil temperatures
870 **E. L. Schmidt**

Selection of hypercellulolytic mutants of *Trichoderma reesei* based on resistance to nystatin
876 **J. Schimenti, T. Garrett, B. S. Montenecourt, and D. E. Eveleigh**

Phytophthora cinnamomi on black locust (*Robinia pseudoacacia*) in Jiangsu Province of China
881 **H. H. Ho, W. Y. Zhuang, Z. R. Liang, and Y. N. Yu**

An experimental study of a microfungal community on plant detritus in a Mediterranean woodland stream
887 **L. Rossi, E. A. Fano, A. Basset, C. Fanelli, and A. A. Fabbri**

Cellular slime molds of the Rocky Mountains
897 **J. C. Cavender**

Brief Articles

Scanning electron microscopy of basidiospores of *Battarraea stevenii*
904 **B. Liu and Y.-h. Liu**

A chemically defined medium for the fruiting of *Lentinus edodes*
905 **G. F. Leatham**

Screening of blastocladialean fungi for antibiotic production by a modified "cross-streak" test
909 **J. P. Lorelli and A. A. Held**

Observations on the anamorph of *Diatrypella frostii*
913 **D. A. Glawe**

A new discomycete associated with the roots of *Monotropa uniflora* (Ericaceae)
916 **M. J. Kernan and A. F. Finocchio**

Illudoids from *Omphalotus olivascens* and *Clitocybe subilludens*
920 **M. S. R. Nair, S. T. Carey, and C. T. Rogerson**

A new variety of *Caulochytrium protostelioides*
923 **L. S. Olive**

A new coprophilous species of *Rhytidospora*
927 **J. Guarro**

On *Diaporthopsis metrosideri*
930 **M. E. Barr**

Sister Mary Cecilia Bodman, 1905–1982
932 **R. Singer and P. Ponce de Leon**

Book Reviews
934

Briefly Noted
939

No. 6 November–December 1983
Issued 28 December 1983

Walter Henry Snell, 1889–1980
941 **D. J. McLaughlin**

Cylindrotrichum, Chaetopsis, and two new genera of Hyphomycetes, *Kylindria* and *Xenokylindria*
949 **F. DiCosmo, S. Berch, and B. Kendrick**

Tilletia lycuroides, another homo-heterothallic bunt fungus
974 **R. Durán**

Phialemonium, a new anamorph genus intermediate between *Phialophora* and *Acremonium*
977 **W. Gams and M. R. McGinnis**

The teleomorph of *Cristulariella moricola*
988 **M. N. Cline, J. L. Crane, and S. D. Cline**

Visualization of hyphal sheath in wood-decay Hymenomycetes. I. Brown-rotters
995 **J. G. Palmer, L. Murmanis, and T. L. Highley**

Visualization of hyphal sheath in wood-decay Hymenomycetes. II. White-rotters
1005 **J. G. Palmer, L. Murmanis, and T. L. Highley**

Decay of wood by the Dacrymycetales
1011 **K. A. Seifert**

Descriptions of acrasid cellular slime molds: *Pocheina rosea* and a new species, *Pocheina flagellata*
1019 **L. S. Olive, C. Stoianovitch, and W. E. Bennett**

Chromatographic and taxonomic evaluation of *Amanita citrina* (Agaricales)
1030 **E. Pérez-Silva and R. Ma. Aroche Alfonso**

The genus *Asterinema* (Ascomycetes, Microthyriaceae)
1036 **M. L. Farr**

Reproductive systems, morphology, and genetical diversity in *Didymium iridis* (Myxomycetes)
1044 **D. A. Betterley and O. R. Collins**

A new species of *Chaetomidium* with four-spored asci
1064 **R. J. Meyer**

Some reproductive characteristics of coprophilous Ascomycetes in three prairie ecosystems
1070 **D. T. Wicklow and Sr. K. Angel**

The development of *Diaporthe phaseolorum* variety *sojae* in culture
1074 **J. D. Jensen**

Brief Articles

On *Piloderma bicolor* in North America and its relationship to *Piloderma byssinum*
1092 **M. J. Larsen**

Multilaminate bodies: additional candidates for membrane reserve in trapping rings of *Dactylaria brochopaga*
1094 **J. A. Dowsett and J. Reid**

Conicomyces, a unique synnematous hyphomycete genus from South Africa
1100 **R. C. Sinclair, A. Eicker, and G. Morgan-Jones**

Book Reviews
1104

Briefly Noted
1108

Notice
1111

Index
1112

PUBLICATION DATES

Issues for Volume **74, 1982**, were published on the dates indicated.

74(1): 4 February 1982 74(2): 2 April 1982
74(3): 2 June 1982 74(4): 21 July 1982
74(5): 15 October 1982 74(6): 17 December 1982